ث

Indicate the character, color, thickness of strata such as soil, clay, sand,

gravel, shale, sandstone, etc. Show depth at which water is found and

STATE OF MONTANA AUG 1 3 1973 ADMINISTRATOR OF GROUNDWATER CODE

MONTANA WATER RESOURCES(BOARD) SPARTISENT OF HATURAL NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after Janua	-		height	to which water rises in well.	
(Under Chapter 237 Montana Session	Laws, 1961, as amende	d) Top of	Ground	(Elev. above sea level)	
This form to be prepared by driller, a by the owner with the County Clerk ar	nd Recorder in the count	y in (Feet)	To (Feet)		
which the well is located, last copy to	be retained by driller.	0.	5	sand soil	
Please answer all questions. If not appli	cable, so state, otherwise		25	sand, clay, gravel	
form may be returned.		- 25	35_	<u>clay</u>	
A SI SAC.		35	53	sand. clay	
Owner Ley & Splice	For Administrator's Us		156	solid rock with seams	
		~~	 	a water	
Address Alberton, Mt.	File 251/j. 333751		 -	، کار میں جس میں سے بہت سے بیش بیٹ کے بیٹ ^{میں ہو} میں ہے۔	
	0		 		
***************************************	Jun 71, 1923.		 		
	•	, , , , , , , , , , , , , , , , , , ,			
Date well started 7/22/72	GW 12:00 p:ms			الله بندر سه دی جه هی دی پره بریا اند که ادا داد دی به بریا	
completed 7/72					
completed					
Type of well Drilled			L		
Type of wellDrilled	bug, driven, bored or drilled)				
Equipment used	i				
	(Churn drill, rotary or other)		ļ		
Water Use: Domestic 🔀 Municipal [☐ Stock ☐ Irrigation		 -		
,		··	 		
Industrial Drainage C	ther []* Garden/Law	npg ├			
		<u> </u>	+		
*Describe	***************************************				
USE: If used for irrigation, industrial,	drainage or other. Evr	olain.	+	-	
state number of acres and location	or other data (i.e. Lot, i	Block	 _	_,_,,_,_,_,_,_,_,_,_,_,_,_,_,	
			 		
and Addition)	***************************************				
PPTIALATED AND HEAT MAINTING AND A			 	<u> </u>	
ESTIMATED ANNUAL WITHDRAWAL			+		
Size of Size and From To Drilled Weight (Feet)	PERFORATIONS		╆┈┈		
Hole of Casing	Kind From		 	اد اسا اسار کار بازی بازی برط اسار بیدا همه ۱۳۰ بیدا ۱۳۰ بیدا در اسار برای ا	
6" id .250 x	Size (Feet)	(Feet)	1		
6" id 0 55	does not apply				
					
			+		
1	}				
				ļ	
N Co					Ì
	atic water level72				ł
	mping water level1. gallons p <u>5</u>				
	easured 240 minutes afte	r numping	 		ĺ
	easpreaeas arre	popg	 -		
	Aeasured from ground le	vel.	T		1
	ell developed by bail				1
	r 6 hours.				1
	wer220 Pump].	ֆ HP	<u> </u>		
	emarks: (Gravel packing,]		1
	ckers, type of shutoff)				1
					l
NID VA NEVA Sec. 12	***************************************		4	<u> </u>	4
NW 14 NE 14 Sec. 12 T. 14 N R 23 B	***************************************		4		4
₹ ₩				<u> </u>	4
INDICATE LOCATION OF WELL AND	PLACE OF USE. IF POS	SIBLE.			1
EACH SMALL SQUARE REPRESENTS 40				 	1
			-+		1
Driller's Signature Lynne 1	aus		+	 	1
• 0				+	1
Driller's AddressSt. Regis	A+	l			<u></u> -

LICENSE NO.....23....

156 Show exact depth of bottom

I received and filed this Instrument for record on the day of the 19 23 at 3 Cook M, permanent files of Missoula County. State of Montana Witness my land:

Darothy L. Head, County Recorder By Recorder Paid 1 Paid 1

chialandi utalife ta egenieth Leinteubri enincaint oit bosc is 1870 traili de) is i inclinations notacel brouncillo construis nes 500 D 1501

Carden/Factor [2] Desinage [Other [... C Ishtashal

230k [] ☐ legibinuM Water Use: Domestic (3

Ednibureur neer

DRILLER'S LOG

MONTANA WATER RESOURCES BOARD RECEIVED

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOV 1 1971

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

(Under Ci	hapter 237	Montana	Session	Laws, 1961,	as amende	ď) T	op of	Ground	(Elev. above sea level)	
This form to	o be prepa	red by c	Iriller, an	nd three cor d Recorder i	pies to be	filed	From (Feet)	To (Feet)		
which the	vell is loca	ted, last o	copy to b	n kecorder i be retained	n the count by driller.	y in	0	12	Rock, Gravel	
			ot applic	able, so stat	e, otherwise	the _	12	20	fine sand, gravel	
form may b	e returned.					1	<u>20</u> 42	42 130	clay, fine sand	
Wa	77	Wheeler	_			}	130		fine sand, sempage coarse sand, clay	<u> </u>
Owner Var			1.		nistrator's Use		150	128	graver, water	
Address	lberton,	Montana	,	ile30886.	3-2194					
/ 100/C30 111.	************			10-22- 2:20	·71.					
**************				2:20	P, m.				الله الله في بعد وفي عدر في عن وله وله وله بعد في الله في عاد في عدر وله	
Date well s	Annual Oct	t 1971	ıl	GW 1						
				3W 1		[
com	pleted	Oct. 197	71		······			<u> </u>		
Type of we			_			i				
type of we			(Dı	ig, driven, bored	or drilled)					
Equipment	used	Churn	Drill							
*** * **		.		Churn drill, rotary		_				
Water Use:	Domestic	F) Mui	nicipai [] Stock [Irrigatio	n 🗆				
indu	striai 🔲	Drainage	□ 01	her □*	Garden/Law	n 🖭				
	_	_	_	_	•					

				drainage or or other dat						į
						l. l.				'
and A	Addition)	•••••••••								: ;
ESTIMATED	ANNUAL \	∜ITHDRA V	VAL						، بہا کا جا نے نے نے سے ہے کے سے کے سا کے سا نے سے ہے	
Size of	Size and	From (Feet)	To (Feet)	1	ERFORATIONS					
Size of Drilled Hole	Weight of Casing	(Feet)	(Feet)	Kind	From	To (Feet)		 -		
6" 14	6" x _280	0	158	Size Does No	(Feet)	(Feet)				
	•200		*	2005 110	c apply					
					1					
,								Ţ		
		,	[. !			 		
			<u> </u>	1						
	N									
	٧.			tic water lev			 -			
1 1	1 -		at	15	level spar					
i				***************	galions p	er minute,	<u> </u>			
			me	asured 60	gallons p minutes afte	er minute, er pumping				
w			me _ beq	asured gan.	minutes afte	r pumping				:
w			me beq	asured gan. leasured from	minutes afte	r pumping vel				:
w			me beç *M We for	asured gan. leasured from ill developed 5	minutes afte n ground le l by beil hours.	vel. & pump				
w			me beç *M We for Pov	gan. leasured from il developed wer 110	minutes afte m ground le i by bail hours. Pump	vel. & pump				
w			me beç *M We for Por Rei	asured gan. leasured from ill developed 5	minutes after m ground le by bail	vel. & pump 1 HP cementing,				
	8		me beg *M We for Po Rei par	gan. leasured from leasured from lideveloped wer 110 marks: (Grav	minutes after m ground le by bail	vel. & pump 1 HP cementing,				
.N.W. 18	NE 4 S	ec. / 2	me beg	gan. leasured from leasured from lideveloped wer 110 marks: (Grav	minutes after m ground le by bail	vel. & pump 1 HP cementing,				
.N.W. 18	NE 4 S	ec. / 2	me beg	gan. leasured from leasured from lideveloped wer 110 marks: (Grav	minutes after m ground le by bail	vel. & pump 1 HP cementing,				
N.W. W.	NE. 14 So	ec. 12	me beg	asured Gu gan. leasured fror ill developed 3 wer. 110 marks: (Grav ckers, type c	minutes after m ground let by bail	vel. & pump A pump HP cementing,				
N.W. W. T 14	NE. 14 So	ec. / 2	me beg	asured Guagan. Jeasured from the control of the co	minutes after m ground let by bail	vel. & pump A pump HP cementing,				
N.W. W T14 INDICATE EACH SMA	NE/A SO N R S LOCATION ALL SQUAR	oc. 12	Me beg *M We for Por Rei V L AND I	asured Guagan. leasured fror ill developed Survey House Grave Ckers, type control of the ACRES,	minutes after m ground let by beil	vel. & pump A pump HP cementing,				
N.W. W. T 14 INDICATE EACH SMA Driller's Si	NE/4 So	OF WEL	me beg *M We for Poor Rei J L AND I ENTS 40	pan. leasured from the season of the season	minutes after m ground let by beil	vel. & pump A pump HP cementing,				3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
N.W. W. T 14 INDICATE EACH SMA Driller's Si	NE/4 So	OF WEL	me beg *M We for Poor Rei J L AND I ENTS 40	pan. leasured from the season of the season	minutes after m ground let by beil	vel. & pump A pump HP cementing,				
N.W. W. T 14 INDICATE EACH SMA Driller's Si	NE/A SO N R S LOCATION ALL SQUAR	OF WELL E REPRESE	me bee *M We for Poor Rei Pau	pan. leasured from the season of the season	minutes after m ground let by beil	vel. & pump A pump HP cementing,		58	Show exact depth of bottom	

I received and filed the ingrement for record on the AA day of AA 15/11.

The Operation of the permanent files of Missoule County Store of Montane Williams my head Veramor R. Circue, County Records of the Store of

prefact tetto no egenioto petitocon policy of not been it idad notal petito est been notional activida to anos to potact over B awet'usbrice "☐ redict ☐ egentral □ isinaubal polin**es**Of

化分配条件 持续

Water Donnestin El Municipal []

Stock [] Infigation []

CONTRACTOR OF STREET, AND DESCRIPTION

Equipmens uses

County Masoula

Sec.	Name of Appropriator	Type of Form	County File No.	Remarks
4	Runell, Mystle	MW3	215/01	
5	Hanling EVE.	SW2	2665/6	
5	suke C. Calvin	XW2	3/3395	
7	Hitas Sincelall, Kinginie M. 4	2402	282880	
5	Xool, Dotties	SWZ	25257	
フ	Rolly Brothers	MW2.	252458	
ク	L.m. Stewast	SW2	197430	
5	Sugaran Robert O	MN2	27075	
3	Mandy & Ament & Botto	8/11/7	297715	
-U-	mr. Kindy dennis	SWA	316374	
8	Olson Oriders A	2002	280531	
8	Spendard Phila Elith	SUN.	323070	
8	Theriault, Food W	-8411	294040	
8	Theriault Trentio	SHUZ	294041	
23	Stetler Pariel of	24112	266585	
5	Sandstron Llowed	x/11/3	1 2 72	
E	storenen, John Ro and	1 9	303014	Sec. 5, 8 4.33
·	Coemer, John E	1	203010	
	COEMIT, SOME		1	
				
		1	 	
		 		
		 		
			_	
		-		
				
-		- 		
		-		<u> </u>
		-		
		<u> </u>		
-		-		
 				
1				
		-		
			1	
-				

File No. **DUPLICATE** STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER Notice of Completion of Groundwater Appropriation Withheli WEINEER (Under Chapter 237 Montana Session Laws, 1961) Date of Appropriation of Groundwater Othertte morasell Address alberton montana Contractor (if any) ... Address of Contractor Date Started...... Date Completed... Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable Minimum and J. Waler Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-108acres tent estimate approximate lengths of periods of use .Continuous

Lots 7-10

Indicate point of appropriation and place of use, if possible.

purposes of undetermined amounts 3,

Signature of Owner mystle m. Rusself

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

215-101

No	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	MONTAN	A WATER RESOUR	ED		T			5
LICATE			DEC 14 19	967		Com	44J	oula	
		LOG	UE() 14 W	ADMINISTS		F GROUN		CODE	
Торо	f Groun	d 4					ngineer	CODA	
	above s	Approx.	Not	ice of C	omple	tion o	f Grou	ındwət	<u> </u>
		64 16 v 61		Appropri					••
1012	MCLON	B Log:	•				UARY 1,		
0	- 6	Badly		(Under Chapt	er 237, 1	Iontana S	ession Law	rs, 1961)	
		fractured red & yellow	N				344		
	- 6=	rock. Maroon		W. E. Ha					
•	ره -	colored rock	Driller L1b	orty Dril	ling (• Addre	ss Misso	oula, M	ontana
63	- 105	Red & maroon colored rock							
Į.		with thin al	ternate	or appropri			- a seedaa Easterii		······································
		with thin all	Date well sta	rted1.9/.1	.3/.07				
ı		pale green rock.	Type of well	Drilled	<u> </u>	Equipm	ent used	ir Rot	ary
105	- 137	Pale green	Water use:	ug, driven, bore Domest		a) unicipal [rn drill, rota: ock [] In	ry or other rigation [
I		& light gray rock in	110101			rainage [ner 🗌	
		alternate		on the diagra					
137	- 151	layers. Light green	depth at whi	drilling, such ch water is en	countered	l, thicknes	s and char		
		& maroon	strata and he	eight to which	the wate	r rises in t	he well.		
		rock in alternate	Size of Drilled	Size and Weight	From (Foot)	To (Feet)	1	ERFORATION	•
		layers.	Hole	of Cosing			Kind Size	From (Feet)	To (Feet)
ı			6*	6_5/8#					
			-	OD x 34"	+1	39'3"	N	ONE	, [
				İ					
Vate	r ris	es in the wel	1]]
89 £	oot f	rom surface.		 		 	- Frage		· · · · · · · · · · · · · · · · · · ·
				N	8i	tatic Wat	er Level		_
									f(e
							scure for Fl		
					l P		Vater Leve		
			*		┦┇,		n gal. per		
			X		"	menurika 1	n Bor hat		n-£low
					н	ow Tested	P	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
				!	1		Test	-	
			***************************************				O11	king, cemer	iting, pac
			A tract	of Land	R	emarks: (Gravet pac		arani
			SW 1/4Sec.	5 T14)R	22V e	rs, type of	shutoff)	Allwat	
			SW 1/4 Sec.	5 T141R ation of well	22W end	s, type of ing we:		Allwat	rom er
			SW 1/4 Sec. Indicate loc place of use small square	5 T14)R	22V end Each	s, type of ing we:	shutoff)	Allwat	rom ez k.
			SW 1/4 Sec. Indicate loc place of use	5 T14R ation of well if possible.	22V end Each	s, type of ing we:	shutoff)	Allwat	rom cz
			SW 1/4 Sec. Indicate loc place of use small square	5 T. 14R ation of well if possible. re representa	and Each	s, type of ing we and se	shutoff) 11 1s c ams in	All wat owing f the roc	· · · · · · · · · · · · · · · · · · ·
			SW 1/4 Sec. Indicate loc place of use small squarecres.	5 T. 14M ation of well if possible. re represents	and Each 40	rs, type of ing we: and se	shutoff)	All mat owing f the roc	verse side
			SW 1/4 Sec. Indicate loc place of use small squares. USE—If us numb	5 T. 14M ation of well if possible. re represents	and Each 40	rs, type of ing we: and se	shutoff)	All mat owing f the roc	verse side
			SW 1/4 Sec. Indicate loc place of use small squarecres.	5 T. 14M ation of well if possible. re represents	and Each 40	rs, type of ing we and sea and sea astrial, dr. n or other	shutoff)(Contrainage or data (i.e.;	All wat oming f the roc linue on re other. Ex Lot, Block	verse side
		lepth of bottom.	SW 1/4 Sec. Indicate loc place of use small squares. USE—If us numb	5 T. 14M2 ation of well if possible. re represents	and Each 40	s, type of ing we: and sea ustrial, dr n or other	shutoff)(Contiainage or data (i.e.:	All wat oming f the roc linue on re other. Ex Lot, Block	verse side

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's License Number

Ulliam L. Cabrine

Driller's Signature.

a66516

147R 7 1972

Indica

INCSS C gravel

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE TO TRANSPORT OF

MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

depth height Developed after January 1, 1962 (Under Chapter 237 Montana Session Laws, 1961, as amended) Top of Ground This form to be prepared by driller, and three copies to be filed by the ewner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller. To (Feet) ō Please answer all questions. If not applicable, so state, otherwise the form may be returned. Lena Prancis and Owner C. Calvin Duce For Administrator's Use File# 2239 3/3395 60 Alberton, Montana 59820 67 71 March), 1922 1:40 p 100 Date well started 9/30/71 108 T25 completed ...10/11/71 132 Type of well Drilled ī 38 Equipment used Cable Tools and Air Rotary Water Use: Domestic ¥ Municipal ☐ Stock ₩ Irrigation 🐔 Industrial Drainage Dother * Gardon/Lawn Ti USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). Pondarosa Acres - Lot 32 ESTIMATED ANNUAL WITHDRAWAL 5,256,000 (Feet) PERPORATIONS Kind (Feet) From (Feet) 6 5/8" +2" 251' N ONE OD by TE: **1**, # 195 127ft.+ 235 124 Static water level began. *Measured from ground level. Well developed by A.T. LATE. PM for 3 hours.
Powe Diesel Pump 150 HP Remarks: (Gravel packing, camenting, packers, type of shutoff).

Leet casing is growted. G NE 1/4 NE 1/4 Sec. 7 in place with three mack 339 349 di W entering wall from cracks 369
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.

EACH SMALL SQUARE DEPRESENTS 40 ACRES. 380 P 394 di 427 Gr Driller's Signature L.L.S. S. 427 435 P1 448 Gr Driller's Address 2500 Reserve

Missoula, Montana E9801 LICENSE NO. 52 Water rises in

surface,

313395 TJ 9hin March Allers County Plant Stand

in the rock below 537 feet.

日間に

, , , , ,

GW 2			. Approved Sto	ock Form-S	State Publish	ing Co., Helens, Mor	ntana-423.
File No.	MONTA	NA WATER RESOURCES					22
DUPLIC	ATE R	ECEIVE	D		Com	nty Missoula	
	LOG Top of Ground	JUL 11 1969	ADMINISTRA	TOR OF	F MONT	ANA.	
-		Not	ice of Co	mple	tion c	of Ground	dwater
	(Elev. above sea level		Appropriate				
-5	sandy soil	•				TUARY 1. 1969	
[-14]	play, sand and gravel		(Under Chapter	237, M	ontana S	Session Laws.	1961)
-37	fine sand and water	Li	ncoln H.	or			•
-41	gravel, sand and water	Owner	rginia M. 1	несто	Addre	ess Hilberton	
-		Driller Kane	Uster well	Drilli	44.Addre	ss St. Kag	ia
-		Date of Noti	ee of appropria	tion of s	roundwa	ter 6/69	***************************************
-		Date well sta					/10/69
-			•			_	•
-		Type of wel (Dug, Drive	l drille n, bored or drille	d)	Equipm Churi	ent used drill, rotary or	other)
		Water use:	Domestic 💆] Muni	_		Irrigation 💆
		T. Jiaaka	Industrial [_	inage 🗍	Other [] the different strate
		met with in	drilling, such as	s soil, cla	ay, shale,	, gravel, rock o	or sand, etc. Shov
			ch water is enco eight to which t				er of water-bearing
		Size of	Size and	From	To	PERF	PORATIONS
		Drilled , Hole	Weight of Casing	(Feet)	(Feet)	Kind Size	From To (Feet)
_ ·		6" id	6 × .250	0 11	60		not apply
_	,					wes	nor apped
-				1			
<u> </u>				ļ			Ì
-			<u> </u>			<u> </u>	
-			И	Sta	atic Wat	ter Level for	non-flowing we
 -				}		••	feet
<u> </u>			X	•			ring Well
-	,					Water Levelgal. po	
		W					n. of flowing we
	Į.			.}			***************************************
						bailed an	
		<u> </u>	s		ngth of		
<u> </u>	Lot 8, Ponda Ros			or		-	g, cementing, pacl
<u>_</u>]	N% NE-1/4 Sec Indicate loc	ation of well	22.	,	•	***************************************
_		place of use	, if possible. E re represents	ach			***********************
-		acres.	- Jr Joseph			**************	*******************************
 -			***************************************				
-						•	ue on reverse side ier. Explain, stat
-	}						ot, Block and Add
<u> </u>			5 acres				***************************************
-			***********	,	************		******************************
-	Show exact depth of bottom	***************************************	****************************	*************		*************************	***************************************
(M-1- A	me do ha magazed his duffless and se	man annies de les Mied 1	777 \$1,0 annaan	, the	***********	23	
County	m to be prepared by driller, and the Clerk and Recorder in the county in				Drille	er's License Nu	
	by driller.		•		5	161.00	A Rano
Please a	answer all questîons. If not appli i.	cable, so state, otherw	vise the form wil	ll be	Drille	r's Signature	indiamont in the time
						•	& Nane
							4

I received und filed this Instrument for record on the 9.2 day of the 196 day of the 196 day of the 196 day of the 196 day of Missoula County. State of Montana Witness my hand:

Veramae R. Clouse, County Recorder

By Jan 201 County Fed Deputy

Fee \$2.00 fail day

表別のではあり

le No		Bille	JUL 29 1966				*	221	
OPLIC!	ATE	Butzerin	McDerm McNulty					issou	<u>le</u>
	rog	Coylo	MortonSullivan_		STATE (of Mont	ANA		
	Top of Ground	Dickert	Sullivan_	ADMINISTI OFF	ICE OF	F GROUN STATE E	idwatei Ngineer	R CODE	
-	(Elev. above sea level	1	Not	ice of C					er
- 22	gravel and clay			Appropri		-			
66	pater and fine						UARY 1,		
8/	gravel, coarse		mark _	(Under Chap				-	
_	, , , , , , , , , , , , , , , ,		Owner 7	ely E	ROS.	Addre	P.O. L	BOX 1173	3 Hs
_				,					
- 1			Driller.Kane			•		•	
-				ce of appropr				•	
-			Date well sta	rted3/25	/66	Date	completed.	3/30/66	
-			Type of wel (Dug, Drive	n, bored of the	Red)	Equipme (Churn	ent used drill, rota	y division	
-			Water use:	Domestic	Mun	icipal 🔲	Stoc	k 🔲 Irrig	ation 🖵
_			Tndiasta	Industrial on the diagra		iinage 🔲 racter and		er □ Lof the diffe	rant start
_ [met with in	drilling, such ch water is e	as soil, c	lay, shale,	gravel, ro	ck or sand,	etc. Sho
_			strata and he	eight to which	the water	er rises in	the well.		
-			Size of Drilled	Size and Weight	From (Feet)	To (Feet)		PERFORATION	8
- 1			Hole	of Casing			Klad Size	From (Feet)	To (Feet)
-			611 id	6" × .25	0	96	٠		
-				}			aoes	not apply	
-				1		i			´
				ļ	ļ				
- 1				N	S	atic Wat	er Level	for non-flo	wing we
-					<u> </u>				fee
-	1 + 4	1						Flowing Wel	ll yz
-]	Pola	Rosa	\					el23	
_	Ponda Ac	225) w				•	l. per minut min. of fl	
		$\overline{}$				0 -			
					H	ow Tested	baile	and pump	ed
			 	S	— П	ength of h	rest	cking, cemer	
[Ν <u>ε</u> 1/4 Sec	7 mm.			-	·····s, cemer	
- l			Indicate loc	ation of wel	l and			*****************	
-			small squar	, if possible. re represent		***************************************	*************	******************	
- I			acres.	**********************	***			***************************************	
_			***************************************	**********		***************	(Co	ntinue on re	verse sid
				ed for irriga er of acres as					
			tion).		rocano	. or omer		. 200, DIUCK	. anu Mut
_			***********************	************		*************	***********	****************	•••••
96	Show exact depth of	bottom.	00000000100000000			************	*******************	*****************	*********************
hie form	a to be prepared by driller	r, and thuse -	mies to he filed t	ov the owner w	ith tha	*********	r's Licenso		*************

I received and illed this Instrument for record on the 20 day of January 1966.
at 11.1.20.0 clock fr. M. permenent files of Missoula County, State of Montana Witness my hand Vertamae R. Caguac, County Recorder By 222. Conductive Recorder Processing Recorder Processing Recorder Reco

GW 2	_		State Publishing Co., Helena, M	iontana-42329
File No	STATE WATER CONSERVATION	BOARD	• •	22
DUPLICATE	JUL 29 1966	מידיגידים	County Mia. F MONTANA	aarla
Top of Ground	Butzerin McNeity ADI Coyle Morton Darlinton Sullivan	MINISTRATOR OF	GROUNDWATER	ODE
(Elev. above sea	level Dickert Notice			
35 day and gr			by Means of ER JANUARY 1, 19	
	and and some mater		ontana Session Laws	
- /		1. BROS	Address Mis.	soula
	•		MGAddress.StKag	
 - 			groundwater 3/2	
			Date completed	
-	Type of well	deilled	Equipment_usedC	huas
-		Domestic 🗷 Muni	(Churn drill, rotary cipal Stock	☐ Irrigation ②
	Indicate on the	he diagram the char	inage Other racter and thickness of	the different strat
-	met with in drilli depth at which w	ing, such as soil, cla ater is encountered	ay, shale, gravel, rock , thickness and charac	or sand, etc. Sho
-		to which the water	To To	RFORATIONS
	Drilled Hole o	Weight (Feet) Casing	(Foot) Kind Size	From To (Feet)
 - 	6" id	5" × .250 0	does met	
_				
-				
	N	Sta	atic Water Level fo	or non-flowing we
			ut-in Pressure for Flo	_
	4 38		imping Water Level. atgal.;	
- 1	Fos A W	Di	scharge in gal. per n	ain. of flowing w
- 1 P	, P = ->	Ho	ow Testedbailed	
			ngth of Test 3ko emarks: (Gravel pack	
-	<u> </u>	T.14 R.22 er	s, type of shutoff)	
	Indicate location place of use, if p	of well and possible. Each	***************************************	
L	small square i acres,	represents 40	147747477774747747474747474747474747474	
- 1	***************************************	***************************************	(Conti	nue on reverse sid
	number of tion).	seres and location	strial, drainage or o	Lot, Block and Ad
- gu Show exact dept	***************************************	*****************************	***************************************	***************************************
This form to be prepared by County Clerk and Recorder in retained by driller.	driller, and three copies to >= filed by the the county in which the well > located,	s owner with the tissue copy to be	Driller's License N	
Please answer all questions. returned.	If not applicable, so state, otherwise t	he form will be	Driker's Signature	Alexe

96 J.A.

DEC 15 1970

STATE OF MONIANA ADMINISTRATOR OF GROUNIGWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

OF GROUNDWATER	
----------------	--

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

DRILLER'S LOG

(Under Chapter 237 A	Montana S	iession	Laws, 1961, as amend	led) 1	Top of	Ground	(Elev. above sea	level)	
his form to be prepare by the owner with the	ed by dr	iller, ar	nd three copies to be	filed	Prom (Foot)	To (Feet)			**
which the well is locate	d, last co	lerk and opy to i	d Recorder in the cou se retained by driller.	nty in	0	40	sand, gravel		:
Please answer all question	ons. If no	t applic	able, so state, otherwi	se the	40	30	sond-clay six		
orm may be returned.						134	fine sand		
C					135	167	coasse sand, gen	<u> </u>	1
Owner Esset & Bet	y result	/	For Administrator's I	Jse					•
Address Alberton, I	Sentana),	ile _ 2977/5						
		- 1	Lecember 11,	1974					,
Penderosa Acres			12:05 00	2					4
Date well started July	1970	1.	GW 1						1
			JVV						
completed July	1970	l							•
Type of well Daille	L								
		(Dı	ig, driven, bored or drilled)					· · · · · · · · · · · · · · · · · · ·	
Equipment used Chase	s Dell		Churn drill, rotary or other)						ť
Water Use: Domestic [st	6 AA	" [] icipai	•	ion 🗀					
Availet Ose: Dolliestic L	3 1410111	icibai [) Stock [] Ittigat	ion 🗀					í
Industrial 🔲 🛚 🗓	Drainage		her 🗀 * Garden/La	wn 😤					•
*Describe									
									•
USE: If used for irriga state number of a			or other data (i.e. Lot						i F
and Addition)									ļ
and reguliony,	******	•••••••		********					i
ESTIMATED ANNUAL W	ITHDPAW	AL							į
Size of Size and Drilled Weight of Casing	Prom (Fost)	To (Feet)	PERFORATIO	NS					į
of Casing	A		Kind From	To (Feet)					1
	-5'	167	*00000000000	1					•
	ļ								,
	- {		1	1					-
				i		ļ	<u> </u>		
						1			į
									-
N .		C4.		£4 4					-
*		Ste Put	tic water level	35ft.					1
		at	30 gallons asured 20 minutes a	per minute	,				İ
		me	asuredminutes a	iter pumping	/	 -			1
w			gan. Neasured from ground,	level.		-			
	1 1	We	developed by	Subped					•
	ļ	for	wer 220 Pump.	н		+~			1
	1 1		marks: (Gravel packing		_	+			,
<u> </u>	<u></u>		ckers, type of shutoff)			Τ			,
Allilai Allilai a	0	••••	***************************************		·∤		 		
NW 14 NW 14 Sec T	<i>9.</i> 22 F					1			•
S	W)			·[<u> </u>		
INDICATE LOCATION				ossible.		· ├	 		
EACH SMALL SQUARE	REPRESE	NTS 40	ACRES.		-	1			
Driller's Signature	بدمدرم	<i></i>	A Kano			Ţ			
Driller's Signature E	2	~····				┿	+		
Driller's Address	regis,	ronta	192		<u> </u>		<u> </u>		
			LICENSE NO2	}		7	Show exact depth	of bottom	
***************************************	**********	• • • • • • • • • • • • • • • • • • • •	LIGHTOL ITV	**********				_	

3 GW 2 Revised 1966

FW 11 1972

DRILLER'S LOG

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODETANA DEPARTMENT OF MATE Indicate the character, color, thick-montana water resources BOARD PROCESS AND CONSERVANCINESS of strate such as soil, clay, sand, NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

	Deve	loped aff	er Janua	ry 1, 1962				•		
(Under C	hapter 237	Montana	Session	Laws, 1961,	, as amend	led)	Top of	Ground	(Elev. above sea level)	
by the own	oor with the	e County	Clerk an	nd three co id Recorder	in the coun	filed	Press (Feet)	To (Feet)	(altr. good at a Ara)	
which the	well is loca	ited, lest	copy to	be retained	by driller.		0	7	Black topsoil	
Please answ	ver all ques	tions. If i	not applic	cable, so stat	te, otherwi	e the				
form may b	se returned	•				•	2-	\$2		
Owner	ney Mak	ledy		For Admi	nistrator's !	lse	_ <u>\$2</u> _	24	Sordy Stay	
Address .4.	195 Fain	den ore	ve	Fil 2272	316.32	4	24	17_	Cler	 -
	seule,	Nostan		May 8,1922			117.	122_	Sold and Gravel	
				GW 1			122	22'2		
			1			ł i			ر ما الله من شرور با با الله من الله من الله من الله من الله من الله من الله من الله من الله من الله	
Type of we			•			•			ے بیوا اگار جب میٹ زری ورید کا دینا بالڈ بالڈ ایٹ ایک دینا کے جب کے	
• •			(D	ug, driven, bored	or drilled)	,				
	wedih		(Churn drill, rotar	y or other)	••••••				
Water Use:	Domestic	II Mu	nicipal [] Stock [] Irrigati	on 📋		 -	بيين جاله جي جيب سير پيڻ جيب منه عنت جيب خان چي غير الحا سي حت ا	
Indi	ustrial 🛅	Drainane	. п. о	ther 🗀*	Garden/Lav	wn (7)				
11100	,,,,,,,, L''	01411.090		mer 🗀	Garden/Lev	wn 🗀				
*Describe		•••••••		*********	••••••	*******		 -		-
USE: If use	ed for irrig	ation, in	dustrial,	drainage or	other. Ex	oplain,		 		
state	number of	ecres and	iocation	or other da	ta (i.e. Lot,	Block				
and A	Addition)			····						
						,		 _		
مستحديث المتعد	بسمح جمام		7-11-11-11-11-11-11-11-11-11-11-11-11-11							
Size of Driffed Hote	Olso and Weight of Caring	From (Foot)	(Feet)	1	PERFORATION	(5				
6710	6415	21	125'9	Kind Size	From (Fast)	To (Foot)				
• • • •	17 16	above	" "		1	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		 -		
	pur 1t.	g. i.		•	ļ			 		
				~	100	1		<u> </u>	ر جوار النظر بين حدد هي جود حدد هي جود النظر عن هي النظر النظر النظر النظر النظر النظر النظر النظر النظر النظر النظر النظر ال	
			Ì			}				
					ļ		<u> </u>	 		
				·		l				
	N		=	***************************************	456					
1			Sta	tic water lev	/el	AMARIA-U.				
	ł	1 1	Pur	mping water	level			 -	عد بدر بدر بدر بدر بدر ده شد بدر این شد اس سال بدر اس مدر اس اس اس اس اس اس اس اس اس اس اس اس اس	
			me	asured	minutes aft	er numpire,		 		
_	1		be	gan.	•					
*				leasured from		evel,				
	1			il developed				 		
			Por	wer	Pump	## HP	~~~	 -		
				marks: (Grav						
<u> </u>	5		pa	ckers, type c	of shutoff) .			-		1
1/.	NW 12 c	. R	•				 			l
T. 14	N.W. 14 Se	22	. <u>.</u>	·····	****************			1		1
	3	(V	v)	····				Ţ 		
INDICATE	LOCATION	OF WEL	L AND F	PLACE OF U	ISE, IF PO	SSIBLE.		<u></u> -		l
EACH SMA	LL SQUARE	E REPRESE	ENTS 40	ACRES.				 		l
Delli-J. er										l
Driller's Sig	الانتفادين الانتفادين	omp is	ii sell	ILLUR 6 +	الأله ، طعال	, (y				
Drillor's Ag	dress	577 S.	148h	. Missou	ta, Mon	tane 195	12	<u></u>		<u> </u>
Sh	1Ba	khi		LICENSE	E NO	7		5194	Show exact depth of bottom	
7	, , , , , ,									

I received and filed this fastrument of removed as the second day of the party of 70 at 10
Department of Natural Resources and Conservation Water Resources Division
Engineering Bureau
Groundwater Section
Sam W. Mitchell Building
Helena. Montana 59601

Owner Mr. Henry McKirdy
Address 4215 Rainbow Drive, Missoula
Location T. R. Sec.
Doc. No. 2272, 316374

ELIGHTZHA ETHARTZEMT OF MATURAL RESULECES AND COMPERVATION

As the Administrator of the Groundwater Code for the State of Montana, please take note of the following special instructions, in order to properly protect your groundwater right.

Special Instructions:

Please provide, as indicated in red on the attached form, the complete location of the well by township, range and section. NW 4 Sec. 8, 7-14N, R-22W.

Is this the only information necessary to establish water well-

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

STATE OF MONTANA

DANINISTRATOR OF GROUNDWATER CODE

MONTANA WATER RESOURCES BOARD

CONSERVATION DESCRIPTION DESCR depth at which water is found and

is form to be prepared by driller, and three copies to be filled in the events with the County Clerk and Recorder in the county Clerk and Recorder in the county Clerk and Recorder in the county Clerk and Recorder in the county Clerk and Recorder in the county Clerk and Recorder in the county Clerk and Recorder in the county Clerk and Recorder in the county of the many be returned.	(under C	hapter 237	Montana	Session	Laws, 1961,	22 MM MM	974)	Top of	Ground	(Elev. above sea level)
Static water level Static	y the ewi	ner with th	e County	Clerk and	i Recorder i	n the cou	ntw in	From (Foot)	To (Feet)	
For Administrator's Use For Administratory Use For Administratory Use For Administratory Use For Administrator's Use For Administratory Use For Administrat	mich the	well is loca	sted, last	copy to b	e retained i	by driller.	,		2	
Address 12 Now 10 For Administrator's Use File 2022 316-324 Courter For Administrator's Use File 2022 316-324 17 Courter For Administrator's	esse ansy	ver all que	itions. If i	not applica	able, so stat	e, otherwi	se the			
Idress	em may l	pe teturned	ļ							
Idress										
Ideas 1.1. In the control of the con	wner		<u>lrox</u>	······································	For Admir	istrator's !	Jse I			
They B J 702 1100 q.ms. The well started		7		[4000	210 20	***	 	177	,
completed	aaress	a.[::::::::::::::::::::::::::::::::::::::		iledd Tid	316.5%	<i>3</i>			
completed		Ciscula.	i cht h	17 1	Thu 8.1905	11:00		117		5-1-10 F-17-4
Chart started Committed Chart stiff, return or destrict Chart stif										-
completed	ste well s	started			SW 1	*		1		
Des. strices, bored or drilled) Des. strices, bored or drilled) Describe				1				-	-	
Static water level 1 / 2 3 4 4 4 4 4 4 4 4 4	com	pleted	<u></u>							
Static water level 1 / 2 3 4 4 4 4 4 4 4 4 4		-11 e							 	
Static water level 1 / 2 3 4 4 4 4 4 4 4 4 4	he or Me	F)		(Du	s, driven, bored	or drilled)	••••			
Industrial Drainage Other Garden/Lawn D Pascribe Bit if used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). TIMATED ANNUAL WITHDRAWAL Bitting and Section of Weight (1790) (17	uipment	used	900 88	11		-				
Industrial Drainage Other Garden/Lawn D Pascribe Bit if used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). TIMATED ANNUAL WITHDRAWAL Bitting and Section of Weight (1790) (17				(C	hura deill, rotary	or other)	**********	-		
Industrial Drainage Other Garden/Lawn State used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other date (i.e., Lor, Block and Addition). TIMATED ANNUAL WITHDRAWAL State of Carlin Front (Post) Front (Post) Front (Post)	ater Use:	Domestic	Ø Mu	nicipal 🔲	Stock 🗀	Irrigat				
Petribe Site If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e., Lot, Block and Addition). TIMATED ANNUAL WITHDRAWAL Site of Site of Green (Free) (F							_	-	-	
Static water level 1 19 19 19 19 19 19 19 19 19 19 19 19 1	Indi	ustrial 🔲	Drainage	Oil	her 🗆 * (Garden/La	wn 🗗	 		
Static water level 1 19 19 19 19 19 19 19 19 19 19 19 19 1	Sanariba									
state number of acres and location or other date (i.e. Lot, Block and Addition). TIMATED ANNUAL WITHDRAWAL Total Street of China (Free) (Fre										
Addition). TIMATED ANNUAL WITHDRAWAL To a comparison of the comp	ill: It USA state	ed for irrig	gation, inc	dustrial, c	drainage or	other. E	xplain,			
TIMATED ANNUAL WITHDRAWAL The state of Casing						•				
Bite and State and Wester (Free) (Fre	and A	Addition)								
Bite and State and Wester (Free) (Fre			•••••••	************	·····	***********	••••			
Static water level freely free	T144 A TER									
Static water level freely free	بجبر التنزا كالب	ANNUAL	WITHDRAY	WAL						
Static water level 1 7 9 ft. Pumping water level 5 ft. at	بجبر التنزا كالب	ANNUAL	WITHDRAY	WAL						
Static water level 1 2 3 4 4 4 4 ACRES. Static water level 1 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	tice of Drilled Hole	ANNUAL Size and Weight of Casing	WITHDRA\ From (Foot)	VAL	P	ERFORATIO!	NS			
Static water level 1 2 3 4.5 Pumping water level 4.5 gallons per minute, measured	tice of Drilled Hole	ANNUAL Size and Weight of Caring	From (Foot)	VAL	P	ERFORATIO!	NS			
Static water level	tice of Drilled Hole	ANNUAL Size and Weight of Caring	Prom (Foot)	VAL	P	ERFORATIO!	NS			
Static water level	tice of Drilled Hole	ANNUAL Size and Weight of Caring	Prom (Foot)	VAL	Pilled Slave	ERFORATIO: From (Fost)	NS			
Static water level	Hee of Drilled Hole	ANNUAL Size and Weight of Caring	Prom (Foot)	VAL	Pilled Slave	ERFORATIO: From (Fost)	NS			
Static water level	Hee of Drilled Hole	ANNUAL Size and Weight of Caring	Prom (Foot)	VAL	Pilled Slave	ERFORATIO: From (Fost)	NS			
Static water level	Hee of Drilled Hole	ANNUAL Size and Weight of Caring	Prom (Foot)	VAL	Pilled Slave	ERFORATIO: From (Fost)	NS			
Pumping water level	Hee of Drilled Hole	ANNUAL Silve and Weight of Coding 5 13 27 64 44 44 44 44 44 44 44 44 44 44 44 44	Prom (Foot)	#AL	hind Size	From (Fost)	NS To (Post)			
at	Nos of Drilled Nois	ANNUAL Silve and Weight of Coding 5 13 27 64 44 44 44 44 44 44 44 44 44 44 44 44	Prom (Foot)	#AL	hind Size	From (Fost)	NS To (Post)			
measuredminutes after pumping began. *Measured from Ground level. Well developed by for hours. Power	Nos of Drilled Nois	ANNUAL Silve and Weight of Coding 5 13 27 64 44 44 44 44 44 44 44 44 44 44 44 44	Prom (Foot)	WAL	hind slee	From (Fost)	To (Post)			
*Measured from ground level. Well developed by for hours. Power	Nos of Drilled Nois	ANNUAL Silve and Weight of Coding 5 13 27 64 44 44 44 44 44 44 44 44 44 44 44 44	Prom (Foot)	Stati	hind Size	From (Feet)	NS To (Post)	* l		
Well developed by for	Nos of Drilled Nois	ANNUAL Silve and Weight of Coding 5 13 27 64 44 44 44 44 44 44 44 44 44 44 44 44	Prom (Foot)	Stati Pum atmea	hind Size ord ic water lever iping water	From (Feet) Pelgallons	To (Post)	,		
forhours. Power	Nos of Drilled Nois	ANNUAL Silve and Weight of Coding 5 13 27 64 44 44 44 44 44 44 44 44 44 44 44 44	From (Foot) 7!	Stati Pum atmea beg	hind size of the s	From (Feet) Prom	To (Pest)	,		
Power	Nos of Drilled Nois	ANNUAL Silve and Weight of Coding 5 13 27 64 44 44 44 44 44 44 44 44 44 44 44 44	From (Foot) 7!	Stati Pur at beg	hine size of the s	elgallons	y to the state of			
Remarks: (Gravei pocking, cementing, packers, type of shutoff) WANTA Sec 8 L. J. W. N. Sec 8 ACH SMALL SQUARE REPRESENTS 40 ACRES.	Nos of Drilled Nois	ANNUAL Silve and Weight of Coding 5 13 27 64 44 44 44 44 44 44 44 44 44 44 44 44	From (Foot) 7!	Stati Purr at mea beg	hime stee for the	el f levelgallons minutes ef	y to the state of			
Packers, type of shutoff) J. J. J. J. Sac. B L. J. J. W. N. J. Sac. B L. J. J. J. W. N. J. Sac. B J. J. J. J. J. J. J. J. J. J. J. J. J. J	Nos of Drilled Nois	ANNUAL Silve and Weight of Coding 5 13 27 64 44 44 44 44 44 44 44 44 44 44 44 44	From (Foot) 7!	Staff Pum at mea beg wel for	ic water leveloped and developed	elgallons minutes af by	Te (Post)			
IDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. ACH SMALL SQUARE REPRESENTS 40 ACRES.	Nos of Drilled Nois	ANNUAL Silve and Weight of Coding 5 13 27 64 44 44 44 44 44 44 44 44 44 44 44 44	From (Foot) 7!	Staff Purmat	hind Size Fig. 1 (1) Fig. 1 (2) F	el filesel gallons minutes af by	y 2	o		
IDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. ACH SMALL SQUARE REPRESENTS 40 ACRES.	Size of Divillad Robe	ANNUAL Silve and Weight of Coding 5 13 27 64 44 44 44 44 44 44 44 44 44 44 44 44	From (Foot) 7!	Staff Purr at mea beg *Me Wel for Pow Ren	hind Size Fig. 1 (A) Size Fig.	el finalista de la composición del composición de la composición de la composición de la composición de la composición de la composición del composición de la composición de la composición de la composición de la composición de la composición del composición del composición del composición del composición del composición del composición del composición del composición d	Post (rest)	g 		
IDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. ACH SMALL SQUARE REPRESENTS 40 ACRES.	Blee of Dreffind Robe	ANNUAL Size and Wideling Strain Land Coding Strain Land Coding Strain Land Coding Strain Land Code Strain Land Code Strain Land Land Code Strain Land Code Stra	From (Foot) 7! 2.0 va	Staff Purr at mea beg *Me Wel for Pow Ren	hind Size Fig. 1 in the size of the size o	el filesel level gallons minutes af h ground by hours. Pump. el packing f shutoff)	Post (rest)	g 		
IDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. ACH SMALL SQUARE REPRESENTS 40 ACRES.	Blee of Dreffind Robe	ANNUAL Size and Wideling Strain Land Coding Strain Land Coding Strain Land Coding Strain Land Code Strain Land Code Strain Land Land Code Strain Land Code Stra	From (Foot) 7! 2.0 va	Staff Purr at mea beg *Me Wel for Pow Ren	hind Size Fig. 1 in the size of the size o	el filesel level gallons minutes af h ground by hours. Pump. el packing f shutoff)	Post (rest)	g 		
ACH SMALL SQUARE REPRESENTS 40 ACRES.	Blee of Dreffind Robe	ANNUAL Size and Wideling Strain Land Coding Strain Land Coding Strain Land Coding Strain Land Code Strain Land Code Strain Land Land Code Strain Land Code Stra	Free (Fee)	Stati Pum atmea beg *Me Wel for Pow Rem	hind Size Fig. 1 in the size of the size o	el filesel level gallons minutes af h ground by hours. Pump. el packing f shutoff)	Post (rest)	g 		
	Biss of Driftman Mobe 6 '')	ANNUAL Stee and Windows To County St. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Free (Fee)	Stati Purn atmea beg *Me Well for Pow Rem pack	ic water lever ping water an. assured from 1 developed verarks: (Grav kers, type of	elgallons minutes af h. ground byhours. Pumpei packing f shutoff)	Te (rest) To (rest) ft. per minute ter pumping level. H, cementing	g 		
	Bloc of Britting Role 6 " / "	ANNUAL STATE OF THE STATE OF TH	Free (Foot)	Stati Purn atmea beg *Me Well for Pow Rem pack	ic water leveloping water sured	elgallons minutes af h. ground byhours. Pumpei packing f shutoff)	Te (rest) To (rest) ft. per minute ter pumping level. H, cementing	g 		
	Boa of British Robe 6 '' / '	ANNUAL STATE OF THE STATE OF TH	Free (Foot)	Stati Purn atmea beg *Me Well for Pow Rem pack	ic water leveloping water sured	elgallons minutes af h. ground byhours. Pumpei packing f shutoff)	Te (rest) To (rest) ft. per minute ter pumping level. H, cementing	g 		

GW 2)		Approved	Stock Form—	-State Publishin	g Co., Helena, Montana—423	29 3
File No.	***************************************				T	-R	3
DUPLIC	ATE				Coun	ty Nissoula	
	roa		4 5 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		F MONT	ANA	
·	Top of Ground				F GROUN STATE EN	DWATER CODE IGINEER	
-	(Elev. above sea level	Not	ice of C	omple	tion o	- F Groundwat	er
-						ans of Well	141
- 14 56	clay and gravel sond, gravel, clay and s		DESTRIC	PED AF	TER JANI	JARY 1, 1962	
-a	clay			ter 237, 1	Iontana Sc	ession Laws, 1961)	
81	fine sand and water	Owner Raid	er A Olson	l	Addres	s Alberton	
91	sand, gravel and clay					s St. Regia	
_5'	sand, growel and pater				•	·	
- 1						·9/68	
		Date well star	rted Q/68		Date c	ompleted9/68	·····
-		Type of well (Dug. Driver	, bored or dri	<i>d</i> lled)	Equipme (Churn	nt used chuted drill, rotary or other)	****************
-		Water use:	Domestic	∑ Mur	icipal 🔲	Stock 🔲 Irri	gation 🚛
		Tndianta	Industrial on the discre			Other thickness of the diff	arant strat
		met with in	drilling, such	as soil, c	lay, shale,	gravel, rock or sand and character of we	, etc. Shor
_	,	strata and he					
-	,	Size of Drilled	Size and Weight	From (Feet)	To (Feet)	PERFORATION	VS
-		Hole	of Casing			Kind From Size (Feet)	To (Feet)
-		6" id	6 × .25	0	96	does not apply	r
							-
					1 1		1
-			N	s	tatic Wate	er Level for non-fl	owing wel
. 🖯		,				•	feet
		 				sure for Flowing We ater Level 76	-
		w		E		gal. per minu	
				D	ischarge in	gal. per min. of f	lowing we
-					fortan was	bailed and p	
-				1		esttil.olear	•
-	1		S			Gravel packing, ceme	
-	}	NE 1/4 NW Sec	8 T/4N	RALLO		shutoff)	
		Indicate locate place of use, small square	if possible,	Each	********************		**************
_	1	acres.	e represent	a 40	***************************************	***************************************	************
-		*************	*************************		****************	///	
-	1					(Continue on r inage or other. Ex	
-						data (i.e.: Lot, Bloc	
	l				*************		***********
96	Show exact depth of bottom.	p.000000000000000000000000000000000000		*********	****************		*************
اسيسيند	M STOM STAND GEHINT OF DOMNIT	A.S		************			***************************************
This for	m to be prepared by driller, and three	copies to be filed b	y the owner w	ith tho			***************************************
County	Clerk and Recorder in the county in wh by driller.	ich the well is loca	ted, tissue cop	y to be	Driller	's License Number	' /
	answer all questions. If not applicable	, so state, otherw	ise the form	will be	Driller	Leel H	ane.

45,166

I received and filed this Instrument for record on the 21.—day of Gamel 19.6.7.
of filed of Missoula County, State of Montana Witness my hand:

Veramae R. C. ouse, County Recorder Dy M. 20.0.

Pale S. 200. Pale S. 200. Pale S. 200.

MONTANA WATER RESOURCES BOARD.

How zotrach was to be true Washing

Josh 45

The state of the s

RECEIVED. 00T 12 1972

DRILLER'S LOG

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE
MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER

Indicate the character, color, thick-tioness of strata such as soil, clay, sand, acgravel, shale, sandstone, etc. Show depth at which water is found and APPROPRIATION BY MEANS OF WELL height to which water rises in well. Developed after January 1, 1962

(Under Chapter 237 Montana Session	Laws, 1961, as amende	ed)	Top of	Ground	(Elev. above sea level)	;
This form to be prepared by driller, a by the owner with the County Clerk a which the well is located, last copy to	nd Recorder in the coun	From (Feet)	To (Feet)			
Please answer all questions. If not appl		5	-dug-pit			
form may be returned.	-5 -	- 35	fine send			
			45	-49 -103	fine sand, pea gravel -	
Owner Phil & Edith Senford	-103	131	- sang- Ersasj- aster			
Address Menstein Medder						
111 / 4/		X.Y				
Alberton, Montono	Oct./03/998 12	1.0.5 p.m.				
Date well started9/72						
completed					رجيع حدد بيدة كدر جدا كن زعة عدد بين بيدة جدد سن جدا كندة	
Type of wellDrilled	Dug, driven, bored or drilled)	********			، بي نت منا ادر بك الوقع يوه بي بي من من ساير بد بي ما الس	
Equipment used					جہ نت جہ کہ جہ کر <u>ہے ہیں ہیں جہ سے بہت ہے جہ ح</u>	
	Stock Irrigation					
	-	_				
industrial 🔲 Drainage 🗍 C	Other * Garden/Law	vn 💂				
*Describe					· · · · · · · · · · · · · · · · · · ·	
USE: If used for irrigation, industrial, state number of acres and location						
and Addition)]
ESTIMATED ANNUAL WITHDRAWAL	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~					1
Size of Size and From To Orilled Weight (Feet) (Feet)	PERFORATION Kind From					1
6" 16 .250 x	Size (Feet)	To (Feat)			هي هذا يون الله يون الله وهو يون شور جون سد الله يوم بين وط سر .]
6" 2 4 131	does not apply					1
] -
		l				1
N	<u> </u>	<u>'</u>				1
	atic water level103		ļ			4
	وود level retaw gniqmi a anolisgعر					1 }
	easured 20minutes afte]
w be	gan.	1				- (
	Measured from ground le ell developed by beil	evel.			. ۔. تہ 77 سے 77 سے بند سے جہ سے جہ سے ہے۔	-
fo	rhours.	or homb]
Pc	wer220 Pump1	å HF] ;
1 ' 1 ' 1	emarks: (Gravel packing,	_				4
٠	ckers, type of shutoff)	*****************				1 7
NW 1/2 NW/4 Sec 8						<u>'</u>
11 1 1 NW 14 Sec 8 T 1 4 N R 22 Z		••••••••••				1
indicate location of well and	PLACE OF USE. IF POS	SIBLE.				
EACH SMALL SQUARE REPRESENTS 40	ACRES.	- -	<u> </u>			1
Driller's Signature Language	have				ر برود نجب کا ارضا کا ایجیز بیشن کی بات ایک کا ایک ایک بیشن کا ایک کا ایک بیشن کا ایک بیشن بیشن بیشن کا ایک کا ایک کا ایک کا ایک کا ایک کا ایک کا ایک کا ایک کا ایک کا ایک کا ایک کا ا	1
Driller's Address St Regis Front						-[
DITTEL S AGGIESS SE Begin Wank						

..... LICENSE NO.23.....

I so dived and flied this Instrument for second on the low day at lett. 19.72

a. /2: Shock M. command flies of Missoula County, Start of Montana Witness at and Verana A. Crouse, County Seconds

By Decay

JAMES CHATTAN SAUDONA OTTANTIZAS of only has one to see

GW	1			

Approved Stock Form-State Publishing Co., Helena, Montana-39089

Co., Helena, Montana—39089

14 N R 22 W

S

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

	(Name of Appropriator)	(A	ddress) (Town)
	propriate groundwater in accordance	State of 70m	Montana Session Laws of 1961.
2.			Domestic Caaden basen
	(describe lands to be benefited,	if for irrigation)	
3.			of groundwater claimed3.0
4.			4117466
5.	The probable or intended date of f	irst beneficial use	8.5- 70.
6.			npletion of the well* or wells*\$\$?
7.	The location, type, size and depth o	f well or wells conte	emplated Siza ('' '. 8
8.			artesian aquifier
y.			15 AM = Wallens
	ST. Keyis Montaud	# 23	
10.	Give such other similar information	as may be useful	N
	in carrying out the policy of this act	·····	
		••••••	
			white the state of
	***************************************	***************************************	

		•••••••••••••••••••••••••••••••••••••••	X/#14WN14 Son & m/4N P.22V
	£94040		NW HWW 14 Sec. 8 T./HN R.221
for re	£94040		NW HWW 1/4 Sec. 8 T/4N R.221
d for re	274040 ecord day of august 20, at 2:25	Signature of Appr	NW MWD14 Sec. 8 T/M R.221 Locate well or other means of development as accurately as possible on the plat.
d for re	274040 ecord day of August 20, at 2:25		WWW. Sec. T. T. R. 221. Locate well or other means of development as accurately as possible on the plat.
d for re	cord day of August 20, at 2'05. Th. As defined in the Code Sec. 1 (c) "V	Signature of Approved the Signature of Appro	NW HWO 1/4 Sec. S. T. T. R. 22. Locate well or other means of development as accurately as possible on the plat.
d for re	day of August C, at 2.05 Ms defined in the Code Sec. 1 (c) "V however made, by which groundwater sures or is artificially withdrawn."	Signature of Approved the Signature of Approved to Signature of Signature of Approved to Signature of Sign	Locate well or other means of development as accurately as possible on the plat. Date 5-3-70 Cicial opening or excavation in the ground

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

£030

294040

I received and filed time frater, at the record on the 18 day of MM 197. A at 2.2. So delet of the property are of Menous County, State of Normal Williams my cane.

Williams my cane. County Best on the property of County Best on the County of the County of the County of the State of Menous County of the State of the

3 GW 2 Revised 1969 washing 13 AM—10/69

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under	Chapter	237	Montana	Session	Laws,	1961,	86	amended
--------	---------	-----	---------	---------	-------	-------	----	---------

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.

Please answer all questions. If not applicable, so state, otherwise the form may be returned.

rm may t	oe returned • W 4	<u> </u>					-4
wner 🕰	. It he	riault	Г	For Admir	nistrator's U	se	-
ddraes &	lhastar	Manada	. <u> -</u> .	le 2 2:		~	4
	lbeston,.		► ri	auzuo	6 18,19	30	I
Foodo	404GCN	34	······································	2:1	PI	2	1
ate well s	itarted!	dy1970)G	W 29	14040	,	
com	pleted 🎾	oly 1970	l <u> </u>	2:0	5 P.M.		-
ype of we	النون. اا	d	(Dug	, driven, bored	or drilled)	•••••	-
quipment	usedQu	on Dell	L	ura drill, roter		*******	-
/ater Use:	Domestic	⊡ ≰ Mu	_			on 🗀	_
Indu	ustriel 🗀	Drainage	Oth	er □* (Garden/Lav	vn 🅦	
Describe							-
	nd for Irrig	nation in	dustrial 4		other E-		_
etatu	number of	acres and	location o	or other dat	a (i.e. Lot,	Block	-
and A	Addition)	************	***************************************				_
	•		***				F
	ANNUAL						<u> </u> -
Size of Drilled Role	Sire and Weight of Casing	(Feet)	To (Foot)		ERFORATION	8	
المة "	6 × .2	10 .	ا 🛌 ا	Kind Size	From (Fest)	To (Feet)	-
		0	123	does	not appl		
]*	
	}					Ì	-
						[-
	N					<u> </u>	- -
	- ï-		Stati	c water lev	el /.25	ft.	• _
			Pum	ping water	level	₹\$ft.'	•
******			at	20 sured 120	gallons	per minute	<u>'</u> -
			mea bega		minutes att	er bombin	
- ا - ا		+	* *Me	asured from	n ground l	gvel.	
	-	1		developed		to puedo	
				220			<u> </u>
	[er220 arks: (Grav			
<u> </u>		لــــــــــــــــــــــــــــــــــــــ		ers, type o			
dal	ا الم	0			•••••••	••••••	
NW V	NW 14 S	X				•••••••	
1	N R4	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	 N				<u></u> -
NDICATE	LOCATION	OE 14171	1 ALID DI				-
	ALL SQUAR				JE, IF PU	MIDLE,	_
							-
Driller's Si	gnature	z Servenson	المن سيرين				-
	ddress						-
Dillers A						******	_
				LICENSI	NO2	3	-

County Fiscoli

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

	Ground	(Elev. above sea leval)
(Feet)	To (Feet)	
_ 5 3	22_	sand & course
46	46	brows olau-
49	90	
_00	113.	beam olay
113	122	scool, day small gravel
122	128_	time same with water.
149	152	capal 6 males
	 	
-	 	
ļ		
	-	
		ان مع ماہ شاہ کا ہے میں میں میں اس بھی ہے۔ ان میں ماہ شاہ کا ہے میں میں میں اس میں اس بھی ہے۔
	 -	
	<u> </u>	
	+	
		
	 	
	 	
	<u>-</u>	
.	 	
:	+	
,		
9		
	+	
P		
'/		
	 	
[
··	-	
"	-	
	<u></u>	
	-	
		
		

1 cereived and this Instrument in second of the color of the Color of

ULCEINED Language services exemp

MAY 27 1971

NOTICE OF APPROPRIATION

Doc. No. 303014 S
Filed for record
this 25 day of May
A. D. 19 71, at 405
o'clock P. M.

14N-2ZW

STATE OF MONTANA) ss.

TO ALL WHOM THESE PRESENTS MAY CONCERN:

BE IT KNOWN. That JOHN R. STEVENSON and JOHN E. ROEMER, of Missoula, in said County and State, do hereby publish and declare, as a legal notice to all the world, as follows, to-wit:

That they have a legal right to the use, possession and control of and claim the natural flow of approximately 25 inches of water miner's measure, of a certain <u>spring</u> located in the SE 1/4 of Section 8. Township 14 North, Range 22 West, M.P.M. Missoula County, Montana, for irrigating and other purposes.

That the purpose for which said water is claimed, and the place of intended use is for domestic use in the S 1/2 of the SW 1/4 and the S 1/2 of the SE 1/4 of said Section, Township and Range, save and except that portion thereof owned by William J. Hauck.

That the means of diversion is a head box and plastic pipe, two inches in size which carries water from said spring to building sites situated on said aforementioned property.

That Ruben LeBaron appropriated and took water from said spring during the year 1905 by means of a wooden flume, and used the same for irrigation and domestic purposes upon the above described property. That on or about the 9th day of May, 1971, JOHN R. STEVENSON and JOHN E. ROEMER, appropriated and took said water previously appropriated and used by the said Ruben LeBaron.

That the names of the appropriators of said water are JOHN R. STEVENSON and JOHN E. ROEMER. That they also hereby claim a right of way for said plastic pipe and for said water by it conveyed or to be conveyed from the said point of appropriation to the land and points of final discharge, and also the right of location upon any lands, of any dams, flumes, reservoirs, constructed or to be constructed, by them in appropriating and using said water.

That they also claim the right to keep in repair and enlarge said means of water appropriation at any time, and the right to dispose of said water, ditch or said appurtenances in part or in whole at any time.

CLAIMING THE SAME ALL AND SINGULAR, Under any and all laws, National and State, and rulings and decisions thereunder, in the matter of water rights.

TOGETHER WITH ALL AND SINGULAR, the hereditaments and appurtenances thereinto belonging or appertaining, or to accrue to the same.

WITNESS our hand at Missoula, Montana, this 9th day of May, 1971.

STATE OF MONTANA COUNTY OF MISSOULAS

JOHN R. STEVENSON and JOHN E. ROEMER, having first been duly sworn, depose and say that they are of lawful age and are the appropriators and claimants of the water and water right mentioned in the foregoing notice of appropriation and claim, and the persons whose names are subscribed thereto as the appropriators and claimants; that they know the contents of said foregoing notice, and that the matters and things therein stated are true.

Subscribed and sworn to before me, this 9th day of May,

1971.

the State of Montana Residing at Missoula, Montana
My Commission expires: 9-72-72.

3030147

I received and filed this Instrument to record on the 15 der of 70 ment to 10.71 at 14.05 clock 1.10, and it is recorded in vol. 27 Production Records of the County of Missoula, State of Montana, on page/5/9... Witness my hand: Veramoe R. Crouse, County Recoi Return tokutsada

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

DUPLICATE

DECEIN JAN 3 1964

Notice of Completion of Groundwater Appropriation ENGINEER
Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of GroundwaterSpring1949
	Owner_Leonard SandstromAddress_Alberton, Montana and Joyce B. Sandstrom Contractor (if any)
	Address of Contractor NonE
	Date StartedFall1948 Date CompletedSpring1949.
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable Ottain water from Peppard Gulto through a pipe to a sprinkler system, Water is from creek and spring.
'	E
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
	estimate approximate lengths of periods of use. Uses. about 100 gallons a minute during Spring runoff May, June and July 24 hours a day. In
Indicate point of appropriation and place of use, if possible.	August, September and October uses all avail- able water about 50 gallons a minute.
	Signature of Owner Language of andthom.
	Date. December 31, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder, duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

Missoula,

SANDSTROM.

LEONARD SANDSTROM and JOYCE B. /

cr she /

are

she s are

OT

31st.

December

63.

Missoula, Montana.

July 10th

65.

Lands irrigated are set forth below:

Lots 1, 2, 7 to 11, 16 and the N 1/2 SE 1/4 and the SE 1/4 SE 1/4 of Section 5, Township 14 North Range 22 West;

Lots 1, 5, the E 1/2 NE 1/4, the S 1/2 NW 1/4, the SW 1/4 NE 1/4, the SW 1/4, W 1/2 of Section 8, Township 14 North, Range 22 π est;

\$2 1/4, less right of way and river, Section 33, 5 Journship 15, North, Range 22 West.

18/21

Mr. Leonard Sandstrom, Alberton, Montana May 15, 1964

12/31/63

1281

from Peppard Gulch and creek

GROUNDWATER INDEX County Tresoula Sec. Name of Appropriator Type of Form MW3 6W3 :LU 3 MUY LIW4 ictor 24 24 ∇ 2 Jarles D

County & Dissoulas IMP. 14 17 1898

-					State
Sec.	Name of Appropriator	Type of Form	County File No.	Remarks	7
36	Coombes, Oon & Barbar	SW2	33/280		\dashv
36	Hemanway, Hoy d	204	1273		4
36	Heminaray Flour	· HWY	1236		4
136	Hillard Fieth	SWI	334283		-
36	Landon, Forrest R	SW2	334282		-
36	Margaret Duane	Sw2	335599		\dashv
30	Starlen, Eugene	14112	334381		4
36	Julivan Marian	m SWY	334378		-
36	Sullevans willem marin	MINZ	734377	·	4
36	Sullivan william maria		334375		+
30	Bullivan William muria	Sw.	33/37/		-
136	Julian, William amaria		334374		┨,
36	Sullivan William J	DWY	21060		-
36	Ward Frank	6W2	733333		-
25	Masby Anthor J.	0	2535-89	<u> </u>	-
2.5	() A . / W.		23309		-
 					-
		 	 		-
 			 	<u> </u>	-
-		 			4
 	 				4
 			 		-
.`}		 	<u> </u>		-
-		 	 		4
		 	 		4
	 	 	 		-
				ie At i	-
				19 (4) 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	-
-			ļ,	***	-
			<u> </u>		-
				144	4
				į.	-
L				(A)	-
					-
					-
•					
				(p)	<u> </u>
					-
 	•	1			-
 	 	-			
		-	-		+
-		-			
 				0.2	1
-		-			4.4
 		_	-	9Ast	
-				23901	92
	•	1	1	2 Teller 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ALC: UNK

GW 3 File No... DUPLICATE County Missaula

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater Untimette Concoran Owner Margiret Linehan Address Frenchtown
	Owner many a la Address Frenchtown)
	Margret Linekan
	Contractor (if any)
	Address of Contractor
	Date Started Date Completed
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable
	natural Spring
	· /
w	B .
 	
<u> </u>	
	Quantity of water developed and used with explanation of meth- od used to measure or estimate such amount. If use is intermit-
8	on then to measure or estimate press amount it are is intermit-
YW 4 Sec. / T. /4 R.2/	tent estimate approximate lengths of periods of use
Indicate point of appropriation	ample water for all stack the parture will
and place of use, if possible.	ato by the addition will
	carry
	Signature of Owner autainette Concaran
	Signature of Owner Williams Occasion
	Date 11/13/13
This form to be prepared by cor	ntractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

copy 21307/

File No.

DUPLICATE

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	N Sec T R. 2	Date of Appropriation of Groundwater Address Junchlaus Contractor (in any) Address of Contractor Date Started Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Matural Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use
In	dicate point of appropriation d place of use, if possible.	auple water for all
an	a place of asc, is possible.	auple water for all stock the gasture will
		Carry
		Signature of Owner Listoinette Concoran
		Date 11/1.3./6.3

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

女 323 213074


STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1960 IA) (PHILIP N. BARRIOGER (Name of Appropriator) (Name of Appropriator) (Name of Appropriator) (Name of Appropriator) (Name of Appropriator) (Address) (Town) State of MONTANA (Ross) (Town) (Town) (Town) (Town) (Ross) (Town) (e No	T14" 21
Declaration of Veried Groundwater Rights (Under Chapter 227, Montana Session Laws, 1960 FA) PRILIP M. BARRICOGER (Name of Appropriator) (Name of Appropriator) County of MSSCOILA (Address) A State of MONTANA have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows: N 2. The beneficial use on which the claim is based Monsabeld use and irrigation of laws 3. Date or approximate date of earliest beneficial use; and how continuous the use has been Septs. 1, 1963. The use has been Septs. 1, 1963. The use has been specified and name of the owner thereof One and three tens area. Laws around the lands to which water has been applied and name of the owner thereof One and three tens area. Laws around the location of each well or other means of withdrawal A f. Boxes Dower Dump. The wall is leasted 10. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. The sonstruction of the well or other means of withdrawal A f. Boxes Dower Dump. The wall is leasted 10. The depth of water table The location of each well or the general specifications of any other works for the withdrawal of groundwater withdrawal each year \$11, 1953. The depth of water table The location of each well or the general specifications of any other works for the withdrawal of groundwater withdrawal each year \$11, 1950. The estimated amount of groundwater withdrawa each year \$11,000 gallons The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference to book and page of any county record. Mona	PLICATE	County
Declaration of Vested Groundwater Rights (Under Chapter 227, Montana Session Lawa, 1960 A. (Name of Appropriator) (Name of Appropriator) (County of MSSOULA As State of MSTAMA have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows: 2. The beneficial use on which the claim is based Bouseheld use and prigation of laws 3. Date or approximate date of earliest beneficial use; and how continuous the use has been Septs. 1, 1963. The use has been specifications of laws 4. The amount of groundwater claimed (in miner's inches or gallons per minute) From 5 to 10 gallons a minute 4. The amount of groundwater claimed (in miner's inches or gallons per minute) From 5 to 10 gallons a minute 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof One and three team acres. Laws around the location of appropriation 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal A. I. Bornes. Bower. Pump The wall is leasted 30. A. E. Bornes. Bower. Pump The wall is leasted 30. A. E. Bornes. Bower. Pump The wall is leasted 30. Free forms lake bowers. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. The wall is 28. Least deep and is a four issue. The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference to book and page of any county record. Hone.	ADMINIST	
Declaration of Vested Groundwater Rights (Under Chapter 237, Montana Session Laws, 1965) [A] FREILIP M. BASRICCHER (Name of Appropriator) County of BESCHIA Any appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows: 2. The beneficial use on which the claim is based Bousshold use and irrigation of laws 3. Date or appropriate date of earliest beneficial use; and how continuous the use has been Sept. 1, 1963 The use has been septled and name of the owner thereof One and three terms are used in the lands to which water has been applied and name of the owner thereof One and three terms are laws around the location of each well or other means of withdrawal A horse power pump. The well is located 10 feet from the ground and the location of groundwater The construction of the construction of the well, wells, or other works for withdrawal of groundwater The sentence of the well or the general specifications of uny other works for the withdrawal of groundwater The well is .28. Seet deep and is a four isolation. The depth of water table The sentence of the well or the general specifications of uny other works for the withdrawal of groundwater The well is .28. Seet deep and is a four isolation of the construction of the well wells, or other works for withdrawal of groundwater The well is .28. Seet deep and is a four isolation of the construction of the well wells or the general specifications of uny other works for the withdrawal of groundwater The well is .28. Seet deep and is a four isolation of the construction of the policy of this act, including reference to book and page of any county record Mans.	OF	FFICE OF STATE ENGINEER [] []
(Under Chapter 237, Montana Session Laws, 1960) A: FREEDITION	noderskier	JAN 3 10066
(Name of Appropriator) County of Appropriator) State of MONTAMA have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows: ** 2. The beneficial use on which the claim is based Bossebald use and irrigation of laws 3. Date or approximate date of earliest beneficial use; and how continuous the use has been Sept. 1, 1963. The use has been Sept. 1, 1963. The use has been Sept. 1, 1963. The use has been Sept. 1, 1963. The use has been supplied and name of the owner thereof Sept. 1, 1963. The date of commencement and completion of the construction of the well according to the works for the withdrawal of groundwater The sonstruction of the well started in june 1963, and we started using the water sheept. 1, 1963. The depth of water table The sonstruction of the construction of the well, wells, or other works for the withdrawal of groundwater The sonstruction of the well or the general specifications of any other works for the withdrawal of groundwater The sensing. The depth of water table The sensing the started in june 1963, and we started sta	(Under Cha	apter 237. Montana Session Laws 1960 / A
County of MESCULA. State of MOTAMA A state of MOTAMA State of MoTAMA S	-	בייייייייייייייייייייייייייייייייייייי
County of MESCHILA State of METAMA have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows: N 2. The beneficial use on which the claim is based Household use and irrigation of laws 3. Date or approximate date of earliest beneficial use; and how continuous the use has been \$99% 1, 1, 1963. The use has been states at laws. 4. The amount of groundwater claimed (in miner's inches or gallons per minute) Free 5 to 10 gallons a winute 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof One and three tens around the lands to which water has been applied and name of the owner thereof One and three tens around the location of each well or other means of withdrawal A. BORTER FORTER FORTER THE PRINTER AND AND THE WELL Is located 10 feet. The water Bept 1, 1963. The delte of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater The sonstruction of the well or the general specifications of my other works for the withdrawal of groundwater withdrawal of groundwater The senting the water table 1, 1963. The depth of water table 1, 1963. The depth of water table 1, 1963. The depth of water table 1, 1963. The settimated amount of groundwater withdrawn each year 1, 1963. The log of formations encountered in the drilling of each well if available not available. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Nons.	PHILIP M. BARRIOCHER	of DOYAG POPULATION
2. The beneficial use on which the claim is based Household use and irrigation of law. 3. Date or approximate date of earliest beneficial use; and how continuous the use has been	(Maine of Whitohirstol)	(Address) (Town)
2. The beneficial use on which the claim is based Bousehold use and irrigation of less. 3. Date or approximate date of earliest beneficial use; and how continuous the use has been	have appropriated groundwater acco	State of MONTANA ording to the Montana laws in effect prior to January 1, 1982 as follows:
2. The beneficial use on which the claim is based Household use and irrigation of lasm 3. Date or approximate date of earliest beneficial use; and how continuous the use has been	lows:	at a construction of the contract of the contr
Bousehold use and privilention of Lean 3. Date or approximate date of earliest beneficial use; and how continuous the use has been	N	2. The beneficial use on which the claim is based
tinuous the use has been		Household use and irrigation of lanm
tinuous the use has been	 	3. Date or approximate date of earliest beneficial use; and how con-
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. One and three tens acres. Low ground the house. Prilip M. Bearlocher. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. 7. Lacras power, purp The well is located in location of the well, wells, or other works for withdrawal of groundwater. The sonstruction of the well started in land we started using the water Sept. 1, 1963. The depth of water table. Thelve feet. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. The well is 28 feet deep and is a four inchested. The log of formations encountered in the drilling of each well if available. The log of formations encountered in the drilling of each well in carrying out the policy of this act, including reference to book and page of any county record. Sone		tinuous the use has been Sept. 1. 1963. The use has
per minute) From 5 to 10 gallons a minute 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof One and three tens agree. Lann ground the house. Fillip M. Bearlosher 10 place of use, if possible. 6. The means of withdrawing such water from the ground and the small square represents 10 location of each well or other means of withdrawal A. house. The wall is located 50 feet from the house. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. The sonstruction of the well started in june 1963 and we started using the water sept. 1, 1963. The depth of water table Telve feet. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. The well is 28 feet deep and is a four ison steel. easing. The log of formations encountered in the drilling of each well if available mot available. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. Hone		
per minute) From 5 to 10 gallons a minute 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof One and three tens agree and name of the owner thereof One and three tens agree. Lann around the house. Fillip M. Bearlocher 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal A. A. Morse Money. The well is located in the house. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. The sonstruction of the well started in the located in the started in the well of the general specifications of any other works for the withdrawal of groundwater. The well is 28 feet deep and is a four ison steel casing. The log of formations encountered in the drilling of each well if available mot available. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. Hone		4. The amount of groundwater claimed (in miner's inches or gallon
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof. One and three tens. sere. Land around the house. Finish M. Bearlocher.		-
thereof One and three tens ears. Law ground the house. Item spends the house. Item around the house. Item spends the house. Item around the house. Item around the house. Item around the house. Item around the house. The date of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater. The sonstruction of the well started in house 1963, and we started using the water sept. 1, 1963. The depth of water table. Thelve fest. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. The well is 28 feet deep and is a four ison start. The estimated amount of groundwater withdrawn each year 914,000 gallons. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. Sons.		
thereof One and three tens ears. Law ground the house. Item spends the house. Item around the house. Item spends the house. Item around the house. Item around the house. Item around the house. Item around the house. The date of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater. The sonstruction of the well started in house 1963, and we started using the water sept. 1, 1963. The depth of water table. Thelve fest. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. The well is 28 feet deep and is a four ison start. The estimated amount of groundwater withdrawn each year 914,000 gallons. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record. Sons.		5. If used for irrigation, give the acreage and description of the
dicate point of appropriation deplace of use, if possible. ch small square represents 10 The date of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater The sonstruction of the well started in june 1963 and we started using the water Bept. 1, 1963. The depth of water table The type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater The well is 28 feet deep and is a four ison started So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater The well is 28 feet deep and is a four ison started. The estimated amount of groundwater withdrawn each year 914,000 gallons. The log of formations encountered in the drilling of each well if available not available. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Sone	•	
dicate point of appropriation of place of use, if possible che small square represents 10 location of each well or other means of withdrawal location of each well or other means of withdrawal location of each well or other means of withdrawal location of each well or other means of withdrawal location of each well or other means of withdrawal location of each well or other works for withdrawal of groundwater The construction of the well, wells, or other works for withdrawal of groundwater The well started in june 1963 and we started using the water sept. 1, 1963. The depth of water table The location of each well or the general specifications of any other works for the withdrawal of groundwater The well is 28 feet deep and is a four isch steel easing. The estimated amount of groundwater withdrawn each year 914,000 gallons. The log of formations encountered in the drilling of each well if available not available. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Sons.		house. Philip M. Beerloeber
location of each well or other means of withdrawal location of each well or other means of withdrawal located 10 feet from the house. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater The construction of the well started in june 1963 and we started using the water Sept. 1, 1963. The depth of water table Thelve feet. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater The well is 28 feet deep and is a four isch steel easing. The log of formations encountered in the drilling of each well if available not svallable. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record Sone		**************************************
The date of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater. The construction of the well started in june 1963 and we started using the vater Bept. 1, 1963. The depth of water table. Twelve fest. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. The well is 28 fest deep and is a four ischested. Casing. The estimated amount of groundwater withdrawn each year		
The date of commencement and completion of the construction of the well, wells, or other works for with drawal of groundwater The sonstruction of the well started in june 1963 and we started using the water Sept. 1, 1963. The depth of water table Twelve feet. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater The well is 28 feet deep and is a four isch	• •	A t horse power pump. The well is located 30
drawal of groundwater The sonstruction of the well started in june 1963 and we started using the water Sept. 1, 1963. The depth of water table The log of formations encountered in the drilling of each well or the general specifications of any other works for the withdrawal of groundwater The well is 28 feet deep and is a four isoh steel easing. The estimated amount of groundwater withdrawn each year 914,000 gallons. The log of formations encountered in the drilling of each well if available not available. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record None		feet from the house.
The depth of water table The log of formations encountered in the drilling of each well if available not available. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record		
The depth of water table		
So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater		
The estimated amount of groundwater withdrawn each year	The depth of water tableTwelve).Seet.
The estimated amount of groundwater withdrawn each year		
The estimated amount of groundwater withdrawn each year		
The estimated amount of groundwater withdrawn each year		
The log of formations encountered in the drilling of each well if available	•••••••••••••••••••••••••••••••••••••••	
The log of formations encountered in the drilling of each well if availablenotavailable	The estimated amount of groundwar	iter withdrawn each year91k_000 gallons
Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record	•	• -
Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.		
Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record	••••	
reference to book and page of any county record. Hone		
		•
Signature of Owner Align M. Barriers		***************************************
- Of 1010		
		Signature of Owner Al. M. Barrier

located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

P21 215229



RECEIVED

3 GW 2 Revised 1969

FEB 3 1972

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER (CODERA DEPARTMENT OF HATUFAL Indicate the `character, color, thick-MONTANA WATER RESOURCES BOARD SOURCES AND CONCERVATION ness of strata such as soil, clay, sand,

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

(Under Chapter 237 Montana Session Laws, 1961, as amended)	Top of Ground	(Elev. above sea level) 3200
This form to be prepared by driller, and three copies to be filed by the ewner with the County Clerk and Recorder in the county in	From To (Feet)	
which the well is located, last copy to be retained by driller.	0 2.3	Tapsoil
Please answer all questions. If not applicable, so state, otherwise the form may be returned.	23:34	GRAVEL
The state of the s	194	TOP DE WATERLEIG
Owner D. JAME A. FELS TET. For Administrator's Use		
Address ROUTE # 2 (FREAK House 110#2227 , 3/2256		
MISSOUL A, MONT. Jan. 28/1922 1:15 p.m.		
Date well started 5-19-62 GW 1		
completed		
Type of well		
Equipment used MECHANICAL DRIVER		
(Chura drill, rotary or other)		
Water Use: Domestic 💢 Municipal 🗌 Stock 🗍 Irrigation 🗍		
Industrial Drainage 🗍 Other 📑 Garden/Lawn 💢	 	
*Describe		
USE: If used for irrigation, industrial, drainage or other. Explain,		
state number of acres and location or other data (i.e. Lot, Block		
and Addition). O.B. ACRES.		
ESTIMATED ANNUAL WITHDRAWAL 550 M GAL		
Hole of Caring Kind From To	- 	
. III MINUS MINUS FLOWER		
1/a Schools 6' 34' CUT -28 -34		
40 1623		
N		
Static water level		
at SLEVENgallons per minute measured /20minutes after pumping	,	
measured (A.9 minutes after pumping began.	º├┈── ┤ ┈	
*Measured from ground level.		
Well developed by 125 CTM AII forhours.		
Power JACUZI Pump 5 H	P	
Remarks: (Gravel packing, cementing packers, type of shutoff)	``~~~~~~~	
- 1/2		,
NW NEW Soc. 2		
Ī		
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.		
EACH SMALL SQUARE REPRESENTS 40 ACRES.		
Driller's Signature Durine a Telster		
Driller's Address ROUTE 2 MISSOULA		
LICENSE NO. NONE	34.81	Show exact depth of bottom

I received may offer this few transport record on this Ak and the second of the second

ow.	Approved Stock Form—State Publishing Co., Helens, Montana—42234
File No	T 14 B 2
DUPLICATE	County
Declaration	STATE OF MONTANA HISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER OF Vested Groundwater Rights
(Under (Chapter 237, Montana Session Laws, 1961)
	V. Lucier , of Route #2 Nissouls r) (Address) (Town) State of Nontans
have appropriated groundwater accor	ding to the Montana laws in effect prior to January 1, 1962, as follows:
N	2. The beneficial use on which the claim is basedIrrigationwatering.ofstock,householdpurposes
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been Rebruary 191941dateof
W F	earliest beneficial use and continuous to present date.
	4. The amount of groundwater claimed (in miner's inches or gallons per minute)Approximately 20 gallons per minute
•	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
SE1/4 SM	About—1/4—acre—of—lawn—and—pasture—around———location—of—well;—said—irrigated—land—belonging to—affiants—and—appropriators;—Dorille—Lucier s Lena V. Lucier. 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Blectric—pumpand—natural—pressures
drawal of groundwater. We 11	ompletion of the construction of the well, wells, or other works for with- commenced on or about February 15, 1941 and
•	edrusty 17, 1241.
9. So far as it may be available, the works for the withdrawal of ground	type, size and depth of each well or the general specifications of any other water universal well is 154! deep with 6" casings

	ater withdrawn each yearAround200gallonsa.day
11. The log of formations encountered Quicksand-for-the-first	in the drilling of each well if available
12. Such other information of a similar eference to book and page of any	r nature as may be useful in carrying out the policy of this act, including county recordNopreviouszecording.
	Signature of Owner Sense Succes
	Para Deen head 31 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

I received and the the instrument for record on the 3 record of the 3 record on the 3 record on the 3 record on the 3 record of Dec. 1852 at 3.5. October permanent files of Hissoria County, State of Montana Witness my hoad.

MARTIN S. EDMINER, County Resorder
By MARTIN S. Behne R Deputy
Foo \$ 25 Paid

othe in

Angus oftons in a mark the solution of the sol

the fight to proper to be come at the first of the first

...

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand,

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL Developed after January 1, 1962								depth	, shale, sandsto at which water to which water	r is found and	And the second second
(Under C	hapter 237	Montan	Session	Laws, 1961,	Top of	Ground	Elev.	(bove sea level)			
by the own	ner with the	e County	[,] Clerk ar	nd three co d Recorder be retained	in the coun	filed	From (Feet)	To (Feet)			
Please ansv		tions. If		cable, so stat	•	e the					
ь		. \ .									
Owner	opent n	J. 796		For Admir	nistrator's U	se					
Address 🗜	0x61.7	rencht	າ <i>ພ</i> າກ	File 25.06;	33342	/					
******************		•••••••		Jeder 154.	1973						
Date well :	started		•••••	GW 1 ./.0.:5	2aa						
com	pleted		•••••••••••••••••••••••••••••••••••••••							ے بہ مد مد جد _{مد} ہے۔	
Type of we	<i>ct.s</i> 11e	ມເຕ		ug, driven, bored							
Equipment	used	ther	. (1)	Churn drill, rotar	or drilled)						
			(Churn drill, rotar	y or other)			 			
Water Use:	: Domestic	⊠ w	unicipal [] Stock [] Irrigatio	on 🗌					
Indi	ustrial 🔲	Drainag	e 🗆 O	ther □*	Garden/Law	Vn □					
*Describe	•	••••••	•	***************************************							
USE: If use	ed for irrig	gation, in acres an	ndustrial, d location	drainage or or other da	other. Ex	plain, Block					
and A	Addition)	•••••	••••			•					
ESTIMATED	ANNUAL 1	WITHDRA	WAL								
Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	Τ,	ERFORATION	R					
Hole	•	(200.)	(1.001)	Kind Size	From (Feet)	To (Feet)					1
	4"			cut	(Feet)	(real)		ļ			1
	80ga				Point &	8'					
	8-3			Slots							
											1
,	N			<u> </u>	<u> </u>	<u> </u>] [
<u> </u>	- ^-	-		itic water lev							} }
		•	Pu	mping water	level	7. Y.2ft.*		 -			
				asured 30]]
w				gan. Neasured from	m around le	eval		-	ļ		-
			W	ell developed	لسط وقا ل]
for2								 -		ه هم هه سي يا اسي	1
Remarks: (Gravel packing, cementing,]
	S			ckers, type c	T SNUTOTT)						1
	۷,					••••••	-	<u> </u>			4
т1.5	±/N R 182		<u>*</u>								1
INDICATE	LOCATION	OF WE	EL AND	PLACE OF) L	JSE, IF POS	SSIBLE.		ļ			
EACH SMA	all squar	REPRES	ENTS 40	ACRES.//					 		1 :

Show exact depth of bottom

42

LICENSE NO.

I received and filed this Instrument for record on the S day of 1973 at 20.000 Clock D M. permanent files of Missoula County, State of Montana Witness my hand:

Doroffly L. Head, County Recorder By Manager Sound Paper Soun

3 GW 2 Revised 1969

DRILLER'S LOG Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show

depth at which water is found and

height to which water rises in well.

Top of Ground

STATE OF MONTANA MATERIAL CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

	-				_		
(Under Chapter	237	Montana	Session	Laws.	1961.	25	amended

This form to by the own which the v	to be prep ser with the well is loca	ared by o e County ated, last	driller, ar Clerk and copy to b	From (Feet)	To (Feet)		_			
Please answ form may b	ver all ques	tions. If i	not applic							
Owner Robert M Job For Administrator's Use										
					5).333.4=				- روز با در المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع ال المراجع المراجع	
Date well s	started			3W 1 <i>.!?</i>	50 A.s.	2				
com	pleted		<u>.</u>		·····				: بر برد در برد در برد اس برد اس برد اس برد اس برد اس برد اس برد اس برد اس برد اس برد اس برد اس برد اس برد اس برد	
Type of we	di	<u> Orive</u>	: <i>7U</i>	o driven hore	d or drilled)				د رو رو د د در رو د د د در رو د د د در در در در در در در در در در در	_
Equipment	used	<u>o</u> th	e.R	hurn delli, rot	ary or other)					
Water Use:	Domestic	□ Mυ	nicipal 🗀] Stock	Irrigation				، بعر چ. بت مدر بدر مدر المراجع بي المراجع بي المراجع بي المراجع بي المراجع بي المراجع بي المراجع بي المراجع ب	
Indu	ustriai 🔲	Drainage	· 🗆 Ot	her □*	Garden/Lav	vn □			ا کیل ویت جست سی پیری باشد های افتد پیری افتد شاه این رست بیری این برس	
					•				ا کے وی جب اسے ہے جب جب کہ ہے، کا ایک اپنے پوت دی کا ایک ا	
USE: If use state (ed for irrig number of	gation, in acres and	dustrial, o location	drainage o or other d	or other. Ex ata (i.e. Lot,	plain, Block				
and A	Addition)					******			کے وہ بعد اس کے منا سے اس بھی ہے۔ اس بھی ہے۔ سے _{جیک}	
						···········			ه اورو چنال اجدا کمی پوروا شده (۱۳ ادبی بیندا است اکام بیرو سنی پرسا میرو پرس	i
Size of Drilled Hole	Size and Weight of Cating	From (Feet)	(Feet)	Kind	PERFORATION	To (Feet)				
	4"			Size	(Feet)	(Feet)			میں ویوں چینٹ تجیر ہے۔ سب سب کسے بہت بھٹ بھٹ بہت ہوت ہوت ہیں۔	i
	40ga.			cut	Point 4				ه خین ویک کار این کار کار کار کار این ویک کار بین دین دین ویک	ì
				Judgeo	Point 1	o 6,			ے وہیں بھی ہے۔ ملک سے جات ہے۔ ملک جات میں بیٹ سے بری ہے	
	א T				evel8					
			at .	<i>a</i> .D <u>.</u>	er level gallons	per minute	,		مع هذه الجال المراجعة علية حكة المراجعة المراجعة المراجعة المراجعة المراجعة المراجعة المراجعة المراجعة المراجعة	
			me: bed	asured jan.	2minutes aft	er pumping	:		میں رسا سال نمین ربید خان سال اگلے بیون اللہ کا اللہ بیون بیان میں اللہ میں اللہ اللہ اللہ اللہ اللہ اللہ الل	
"					om ground lead by				ر ہے بہت کے	
			for Pov	 ver	hours. Pump	<u>У</u> ъг нг			. ہے۔ جب شا نے رب سا جب جب بے جب کر ہے۔ جب سا بہ جب	
		لــــــــــــــــــــــــــــــــــــــ	Rer	narks: (Gr	avel packing, of shutoff) .	, cementing	<u></u>			
NX	3	ec. 3								
T! S	N R	. <i>2.1</i> 1) V		······································	•••••			س وب سا که وب سا ۱۰۰ که چه دی داد در اس به دید سه وب سا	
INDICATE	LOCATION	OF WEL	LAND P	ACRES.	USE, IF POS	SSIBLE.		<u> </u>		
Driller's Sig	gnature	Me	1 /4.	Sof						
Driller's Ad	ddress	of 6		lenche	WISE, IF POS	w.		<u> </u>		
		•	•	HCEN	SE NO			19'	Show exact depth of bottom	

G —Helena Independent Record			T /4/R 21 /
File No			
DUPLICATE			County James La
	ADMINISTRA OFFIC	TATE OF MONTANA TOR OF GROUNDWATER CODE E OF STATE ENGINEER	(I)
1	Declaration of (Under Chapter	Vested Groundwater Righ 237, Montana Session Laws, 1961	STATE ENGINEER
1 John & ne	idt	, of	Zonon
County of have appropriated ground lows:	opropriator) Mula ndwater accordin	, of (Address) State of 22,02, Tag to the Montana laws in effect	(Town) prior to January 1, 1962, as fol-
N	2.	The beneficial use on which the	claim is based dans ho
		Date or approximate date of earli tinuous the use has been	est beneficial use; and how con-
W الر	4.	The amount of groundwater clain	ned (in miner's inches or gallons
	_	per minute) 56	
8	5.	If used for irrigation, give the lands to which water has been a thereof	acreage and description of the applied and name of the owner
4 Sec/ T./-/I Indicate point of appropri and place of use, if pos Each small square represer	ation sible. 6.	The means of withdrawing such location of each well or other me	water from the ground and the
acres.		pen	4
7. The date of commencer drawal of groundwater		tion of the construction of the well	wells, or other works for with-
8. The depth of water tab	ole3_a_	1+1	
other works for the wit	thdrawal of grou	size and depth of each well or the	***************************************
		mpipu	
10. The estimated amount	of groundwater	withdrawn each year5	ovogel
11. The log of formations e	ncountered in the	drilling of each well if available	nstwille
••••••	.,,,		
reference to book and p	page of any coun	re as may be useful in carrying or y record	***************************************
			John & Mill
		Signature of Owner Da	6 De 26/963
Three copies to be filed by located.	the owner with	the County Clerk and Recorder of	,

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



STATE OF MONTANA RECEIVED ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD LE OF COMPLETION

NOTICE OF COMPLETION OF GROUNDWATER MENT OF NATURAL gravel, shale, sandstone, etc. Show APPROPRIATION BY MEANS OF WELLES AND CONSERVATION depth at which water is found and height to which water rises in well.

Missoula, Mt LICENSE NO. 8

DRILLER'S LOG

Indicate the character, color, thick-

			30221011	WS, 1901	, as amendi	ra;	Top of	Ground	(Elev. above sea level)	>66
by the own	This form to be prepared by driller, and three copies to be filled by the county clerk and Recorder in the county in									
which the well is located, last copy to be retained by driller. Please answer all questions. If not applicable, so state, otherwise the form may be returned.									Sand & Grave	<u></u>
	D. 1472	سيدو			nistrator's Us		20	135	Land 7thin	
Owner	306 /	eichs	<i>en</i>	For Admi	nistrator's Us				Clay seams	
Address	Route	2		ile <i>23991</i>	2,2445		135	14k	Sand Gravel	
Miss	soula,	Mo	at.		***************************************				w/ water	
Date well	started	-2-	22	W 1						
com	pleted	/ - 3-	72							
Tune of w	u dr	illed	•		or drilled)					
Type Of Wi	911		(Du _l	, driven, bored	or drilled)	•••••				
Equipment	used A	r r	tary	hum drill, rotar	or drilled)					
Water Use	: Domestic	☐ Mu	nicipal 🔲	Stock 🗷	Irrigatio	on 🗆				
	ustrial 📋	Drainage	_		Garden/Law			 _		
*Describe	dairy	, fa	- M		•••••					
use: IT Us	ea for iffig number of	gation, in acres and	dustrial, d	irainage or or other da	other. Exp	plain, Block			,	!
				J. O 46	14 (1.0. 101,	DIOCK				⊣ ∤
and A	Addition)								ļ	
ECTIMA A TCC		4/171 IDDA		unkn	own			 		-
			WAL	CALLERY CO.	P.W. / 1	······				-1
Size of Filled Hele	Size and Weight of Casing	From (Feet)	(Feet)	· ·	PERFORATION	 }				-
Hele	of Casing	_	1 .						<u> </u>	
, ,	1 2 5 7	*-/	JHb	Kind	From	To		<u> </u>	<u> </u>	1
6"	57	+1	146	Size	(Feet)	To (Feet)				_
6"	17-16.	*/	146	Kind Size	(Feet)	To (Feet)				=
6"	17 Lb.	*/	146	Size	(Feet)	To (Feet)				
6"		*/	146	Size	(Feet)	To (Feet)				
6"		*/	146	Size	(Feet)	To (Foot)				
6"		*/	146	Size	(Feet)	To (Foot)				
6"		*/	146	Size	(Feet)	To (Foot)				
6"		*/		A on	(Foot)					
6"	par ft	* /	Stati	Size / D / D / D / D / D / D / D / D / D /	(Fost)	5f1,*				
-	par ft		Stati Pum	Size / D / D / D / D / D / D / D / D / D /	(Feel)	5 ft.*				
6"	par ft		Stati Pum at #	c water level	(Peet)	ft.*				
-	par ft		Stati Pum at # mea	c water level of the state of t	(Feel)	ft.*				
w	par ft		Stati Pum at ** mea beg	c water leveling water 3 surred 5	el	ft.* ft.* er minute, er pumping				
w	par ft		Stati Pum at # mea beg *Me	ic water level ping water sand an.	el	ft.* fr.* er minute, er pumping				
w	par ft		Stati Pum at # mea beg *Me Wel for	ic water level of the state of	level	fi.* er minute, er pumping				
w	par ft	*	Statis Pum at # mea beg *Me Wel for Pow	c water leveling water sured from the saured f	relgallons p minutes afte m ground le d by d.d.ehours.	5 ft.* ft.* er minute, er pumping	0.42			
w	par ft	*	Statis Pum at # mea beg *Me Wel for Pow Rem	c water leveloped and developed and developed anarks: (Granarks: (level	fi.* fi.* er minute, er pumping evel. Comp	0.42			
W	N N	K	Statis Pum at # mea beg *Me Wel for Pow Rem paci	c water level paining water seasured from leasured from leasured from leasured from learns: (Grankers, type construction)	level	fi.* fi.* er minute, er pumping evel. Comp	0.42			
W	N N	K	Statis Pum at # mea beg *Me Wel for Pow Rem paci	c water leveloped and developed and developed anarks: (Granarks: (level	er minute, or pumping	0.42			
w SE	N N SEV SE	*	Stati Pum at # mea beg *Me Wel for Pow Rem pack	c water level paining water seasured from leasured from leasured from leasured from learns: (Grankers, type construction)	level	er minute, or pumping	0.42			
w SE	N N	ec. //	Stati Pum at # beg *Me Wel for Pow Rem pack	c water level paining water seasured from leasured from leasured from leasured from learns: (Grankers, type construction)	level	er minute, or pumping	0.42			
S E 14	N SEW SE	ec. //	Statis Pum at # mea beg *Me Wel for Pow Rem paci	c water level print water leve	level	fi.* fi.* er minute, or pumping evel. Compa	0.42			
SE,	N SEW SE	2. // 2	Statis Pum at # mea beg *Me Wel for Pow Ren pacl	ic water level ping wat	level	fi.* fi.* er minute, or pumping evel. Compa	0.42			
SE,	SE 1/4 SE LOCATION ALL SQUARE	OF WELL	Statis Pum at # mea beg *Me Wel for Pow Rem pack	ic water level ping wat	level	fi.* fi.* er minute, or pumping evel. Compa	0.42			
SE,	SE 1/4 SE LOCATION ALL SQUARE	OF WELL	Statis Pum at # mea beg *Me Wel for Pow Rem pack	ic water level ping wat	level	fi.* fi.* er minute, or pumping evel. Compa	0.42			
SE VI INDICATE EACH SM.	N SE 1/4 Se S LOCATION ALL SQUARI	OF WELL	Statis Pum at # mea beg *Me Wel for Pow Rem pact	c water level of the control of the	level	er minute, or pumping evel. Compared to the c	0.42			
SE VINDICATE EACH SM.	N SE 1/4 Se S LOCATION ALL SQUARI	OF WELL	Statis Pum at # mea beg *Me Wel for Pow Rem pact	c water level of the control of the	level	er minute, or pumping evel. Compared to the c				

I received and filed this 'notrument for record on the day of Own 1973 at 10, 22 orbitich. A.M., permanent files of Missoula County, State of Montana Witness my hand:

Derothy L. Head, County Recorder

By A. A. Deputy

Fee \$ 2. O. J. Paid

	Approved Stock Form—State Publishing Co., Helena, Montans—42234
File No	T 14 R AL WSEL 12
DUPLICATE	County missoule
CF	STATE OF MONTANA STRATOR OF GROUNDWATER CODE FICE OF STATE ENGINEER JAN 3 1965
	of Vested Groundwater Rights ENGINEER hapter 237, Montana Session Laws, 1961)
1 John Sal	of Rote Misseles
(Name of Appropriator)	(Address) (Town)
have appropriated groundwater accordi	ing to the Montana laws in effect prior to January 1, 1962, as follows:
N	
	2. The beneficial use on which the claim is based hanged or The Strick of Castle
x	3. Date or approximate date of earliest beneficial use; and how continuous the use has been
	ous the use has been grant and a second seco
W	
	4. The amount of groundwater claimed (in miner's inches or gallons per minute)
	5. If used for irrigation, give the acreage and description of the lands
•	to which water has been applied and name of the owner thereof
Indicate point of appropriation and place of use, if possible. Each	
small square represents 10 acres.	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
	Elutity - T. S. R 21 Sais 12
7. The date of commencement and condrawal of groundwater	apletion of the construction of the well, wells, or other works for with-
8. The depth of water table	11.54
works for the withdrawal of groundwe	ype, size and depth of each well or the general specifications of any other ator. See the Court from Courted about Almoston
10. The estimated amount of groundwate	r withcream each your 130,000 gul
11. The log of formations encountered in	the drilling of each well if available on 13 Distract Clay
matter-atiflague 16-3	Medining though 33-36 sand and elementation This
12. Such other information of a similar reference to book and page of any co	nature as may be uneful in carrying out the policy of this act, including unty record
	Signature of Owner Date 74.29.163
Three copies to be filed by the owner with	the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

T. 14N	R. 21	W
County /1/5		

MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

D	EC	E I	VE	M
UU	ο.	1 ;	1341	العا

	LL LOG	STATE ENGINEER
Owner William H. C.	redon Addre	250 For View
Driller Lloyd Hon	Addre	ess Orchard Homes
Date Started	1955 Date	Completed F=6 1955
Location: Sec. 13 I	14N R21W	/ 1 sec. 5W
Type of well (Dug, driven, mored, or drilled)	quipment used	(Churn, drill, retary, other)
Water use: Domestic Municipal	Stock 🔀	Irrigation 🔲
Industrial Drainage		
Casing: ft. to 40 ft.	Type	Size 4"
Casing: ft. to ft.		
Casing:ft. toft.	Туре	Size
Perforated or Screened: Ft. 35 to f		
Type of screen or perforations	arton from	7
Static Water level, for non-flowing well	1: 50	feet.
Shut-in pressure, for flowing well:		
Pumping water levelfeet at	g	al. per min
How tested:		
Length of test	1015	n p
Remarks: (Gravel packing, cementing, packing, cementing, packing)		shut-off, depth of
	······································	

(over)